Medicare Hospital

INFORMATION

Report

EMBARGOED FOR RELEASE:
WEDNESDAY, JUNE 10, 1992
6 P.M. EDT

1992

New Hampshire

PUBS
RA
981
A2
M43
1988-1990, v.
31

RA971
.A2
N43
1988-1990
v.31

MEDICARE HOSPITAL INFORMATION

1988 • 1989 • 1990

Volume 31

NEW HAMPSHIRE

LOUIS W. SULLIVAN, M.D.
Secretary
U.S. Department of Health and Human Services

WILLIAM TOBY
Acting Administrator
Health Care Financing Administration

For sale by the U.S. Government Printing Office
Superintendent of Documents, Mail Stop: SSOP, Washington, DC 20402-9328
ISBN 0-16-037860-5

STATES BY VOLUME

VOL	STATE	VOL	STATE
1	ALABAMA	28	MONTANA
2	ALASKA	29	NEBRASKA
3	ARIZONA	30	NEVADA
4	ARKANSAS	31	NEW HAMPSHIRE
5	CALIFORNIA (Part 1)	32	NEW JERSEY
6	CALIFORNIA (Part 2)	33	NEW MEXICO
7	COLORADO	34	NEW Y0RK
8	CONNECTICUT	35	NORTH CAROLINA
9	DELAWARE	36	NORTH DAKOTA
10	DISTRICT OF COLUMBIA	37	OHIO
11	FLORIDA	38	OKLAHOMA
12	GEORGIA	39	OREGON
13	HAWAII,	40	PENNSYLVANIA
	AMERICAN SAMOA	41	PUERTO RICO
	GUAM		VIRGIN ISLANDS
14	IDAHO	42	RHODE ISLAND
15	ILLINOIS	43	SOUTH CAROLINA
16	INDIANA	44	SOUTH DAKOTA
17	IOWA	45	TENNESSEE
18	KANSAS	46	TEXAS (Part 1)
19	KENTUCKY	47	TEXAS (Part 2)
20	LOUISIANA	48	UTAH
21	MAINE	49	VERMONT
22	MARYLAND	50	VIRGINIA
23	MASSACHUSETTS	51	WASHINGTON
24	MICHIGAN	52	WEST VIRGINIA
25	MINNESOTA	53	WISCONSIN
26	MISSISSIPPI	54	WYOMING
27	MISSOURI	55	TECHNICAL SUPPLEMENT

FOREWORD

The mission of the Health Care Financing Administration (HCFA) is to promote the timely delivery of appropriate, quality health care to the nation's aged, disabled, and poor. The agency must also ensure that beneficiaries are aware of the services for which they are eligible, that those services are accessible, and that agency policies and actions promote efficiency and quality within the total health care delivery system.

To that end, the annual release of the Medicare Hospital Information report is a key element in our continuing efforts to improve the effectiveness of medical practice and the quality of care provided to Medicare beneficiaries. It is also an important step in helping beneficiaries make more informed health care decisions.

The information in this release is not intended as a direct measure of quality of care. It is best used as a "screening tool"—that is, to identify potential problems for further review and, in consultation with medical staff, to evaluate a hospital's strengths and weaknesses. Thus, we believe that consumers can use this information to ask questions of their physicians, rather than reach judgments about the quality of care in a particular hospital. We also expect this information to be used by hospital administrators, physicians, peer review organizations, State survey and certification agencies, and researchers.

This publication presents information to answer the question "What is the actual mortality rate within a certain period of time for each hospital compared to the rate that would have been predicted, given what we know about the characteristics of the patients admitted?" Our basic approach to analyzing hospital mortality information has remained unchanged for the past five years; however, since the last publication of mortality information in May 1991, we have made some significant changes both in our methodology and in the way we display the results of our analysis. The four principal changes in the 1992 report are:

- A graphic presentation of the predicted and observed mortality rates for most hospitals for "All Causes" for Federal fiscal years 1988-1990 at 30, 90, and 180 days;

- The addition of information on certain variables that we use in computing the predicted mortality rates for each hospital;

- The addition of information on the geographic origin of each hospital's patients; and

- A comparison of the average length of stay in each hospital with the average for the State and Nation.

These refinements should make this information an even more valuable educational tool to help improve the quality of care in hospitals. The changes were reviewed by a panel of outside experts. The methodology used to calculate the observed mortality rate, the predicted mortality rate, and the standard deviation are briefly described in the Technical Information section of the Introduction to this volume and in more detail in the Technical Supplement (Volume 55).

We acknowledge the assistance we have received from the American Hospital Association—not only for providing the information detailing selected hospital characteristics, but also for alerting its members to the importance of this information. We are also grateful to the personnel in each hospital who took the time to review the data thoroughly and to provide us with comments and suggestions. As before, we have published individual hospitals' comments in their respective State volumes. Over the years, these communications have helped to improve and refine the information included in this publication.

HCFA is committed to improving the Medicare Hospital Information report. To that end, we are continuing to work with representatives of hospital, consumer, employer and other organizations to make this annual report as useful as possible for all consumers.

TABLE OF CONTENTS

Introduction vii

ALICE PECK DAY MEMORIAL HOSPITAL 2
ANDROSCOGGIN VALLEY HOSPITAL 4
CATHOLIC MEDICAL CENTER 6
CONCORD HOSPITAL 8
COTTAGE HOSPITAL 10
ELLIOT HOSPITAL 12
EXETER HOSPITAL INC 14
FRANKLIN REGIONAL HOSPITAL 16
FRISBIE MEMORIAL HOSPITAL 18
HUGGINS HOSPITAL 20
LAKES REGION GENERAL HOSPITAL 22
LITTLETON HOSPITAL 24
MARY HITCHCOCK MEMORIAL HOSPITAL 26
MONADNOCK COMMUNITY HOSPITAL 28
NASHUA MEMORIAL HOSPITAL 30
NEW LONDON HOSPITAL ASSOCIATION INC 32
NEWPORT HOSPITAL 34
PARKLAND MEDICAL CENTER 36
PORTSMOUTH REGIONAL HOSPITAL 38
SPEARE MEMORIAL HOSPITAL 40
ST JOSEPH HOSPITAL 42
THE CHESHIRE MEDICAL CENTER 44
THE MEMORIAL HOSPITAL 46
UPPER CONNECTICUT VALLEY HOSPITAL 48
VALLEY REGIONAL HOSPITAL 50
WEEKS MEMORIAL HOSPITAL 52
WENTWORTH-DOUGLASS HOSPITAL 54

State and National Hospital Information 56

Hospital Comments

INTRODUCTION

The Medicare Hospital Information report contains information on acute care hospitals that treated Medicare patients discharged in Federal fiscal year (FY) 1990 (October 1, 1989—September 30, 1990).

This year's publication set consists of 54 State volumes and a Technical Supplement (Volume 55). There is one volume per State, except that California and Texas have two volumes each, Hawaii is combined with American Samoa and Guam, and Puerto Rico and the Virgin Islands are combined together in one volume.

Each hospital's two summary data pages are arranged alphabetically by hospital name in each State volume. These data pages consist of:

- The hospital's FY 1990 Medicare hospital mortality rates;
- A graphic presentation of the predicted and observed mortality rates for **most** hospitals for "All Causes" for FYs 1988—1990 at 30, 90, and 180 days;
- The FY 1990 values for selected explanatory factors used to predict the mortality rates;
- Origins and lengths of stays of Medicare admissions; and
- Hospital characteristics, such as the number of beds and other characteristics, which we obtained from data contained in the American Hospital Association's (AHA) 1990 Annual Survey of Hospitals files or, when such information was not available from the AHA file, the Health Care Financing Administration's (HCFA) Online Survey, Certification and Reporting System (OSCAR) file.

Please note that the information regarding origins and lengths of stays and hospital characteristics are presented strictly for information purposes only. They were not used to calculate the hospital's predicted mortality rates.

Toward the end of each volume, we include both State and national mortality rates developed by our analysis, as well as the comments we received from individual hospitals.

Description Of Mortality Information

The mortality rates at a given hospital may reflect, among other factors, the age, sex, diagnoses, and severity of illness of patients admitted to that hospital, as well as the quality of care they received. Factors affecting health and the probability of death vary among the patient populations served by individual hospitals. Consequently, the mortality rates in different patient populations vary considerably.

These latest analyses of the mortality rates associated with Medicare hospitalizations are similar to those carried out in the four prior years. Only one hospitalization for every patient was used. As in last year's analysis, when a patient had multiple hospitalizations during the fiscal year, one stay was selected at random to be analyzed. We believe that the use of the randomly selected admission provides a better representation of a typical hospital admission and permits us to calculate mortality rates more nearly like those the hospital itself would calculate for its patients.

Although we publish data only on deaths which occur within 180 days of admission to the hospital, for purposes of analysis our methodology actually considers deaths which occur any time within 365 days of admission (with the exception that no date of death later than April 1, 1991 is used). This is part of the formula which assesses the long-term risk of mortality. With this approach, information about the early and later results of the hospitalization is provided. This is important because diseases evolve with different time courses, and treatments may have different short- and long-term effects. The choice of at least 180 days allows substantial followup consistent with timely reporting of HCFA data.

We again analyzed the data on a fiscal year, rather than on a calendar year, basis because it allows us to report on recent hospitalizations. Also, new Medicare rules are often instituted on a fiscal year basis.

For each hospital, mortality rates are presented for overall Medicare patient mortality and for eight medical conditions and nine procedures. The information consists of the number of Medicare patients; the observed or actual mortality rate (OBS); the predicted mortality rate (PRED), given the mix of patients; and a standard deviation (SD), a measure of the uncertainty of the predicted rate.

The following information will be helpful when reviewing specific information for any given hospital.

Number Of Cases

This is the number of individual Medicare beneficiaries whose discharge in a fiscal year from the short-term, acute care hospital listed was selected for analysis. The total number of cases randomly selected for each hospital is presented under the category "All Causes." The eight medical condition and nine surgical procedure categories are subgroupings drawn from the "All Causes" selection. Although a particular patient may appear in only one of the eight medical condition categories, that same patient may also appear in one or more of the nine surgical procedure categories. Similarly, a patient may appear in one or more of the nine surgical procedure categories, even though he or she was not included in any of the eight medical condition categories.

The categories chosen for display represent HCFA's interpretation of the categories judged to be important by various outside advisors including the Institute of Medicine. The listed condition and procedure categories do not cover the reason for admission of all the hospitalized Medicare patients in this study. (The ICD-9-CM codes included in each condition and procedure category appear in Table 1 following this Introduction section.)

These conditions and procedures represent the causes for the hospital admission and/or surgical episodes during that stay; they do not necessarily represent the cause of death. HCFA does not have access to cause of death information.

Observed Mortality Rate (OBS)

The observed mortality rate for each category is the percentage of each acute care hospital's selected Medicare patients who died within 30, 90, or 180 days of the selected admission. This rate does **not** represent the percentage whose death was caused by a particular condition or procedure.

The percentage is rounded to the nearest one-tenth of one percent. Both inhospital deaths and deaths occurring after discharge but within 30, 90, or 180 days of admission are included. For example, if a hospital had 1,000 patients included in the "All Causes" category and 124 of these patients died within 30 days of the selected admission, the 30-day observed mortality rate would be 12.4 percent; if an additional 17 patients died more than 30 but less than 91 days after admission, the 90-day observed mortality rate would be 14.1 percent; and if an additional 13 patients died more than 90 but less than 181 days after admission, the 180-day observed mortality rate would be 15.4 percent.

It is important to note that the observed mortality rate is cumulative; e.g., the 90-day observed mortality rate includes all deaths which occur within 30 days of admission, as well as those occurring more than 30 and less than 91 days after admission.

Predicted Mortality Rate (PRED)

The predicted mortality rate for each hospital's patients is derived in part by determining, based on national experience, the contribution to the probability of dying associated with various patient characteristics such as:

- Principal diagnosis (grouped into 23 analytical risk categories),
- Age,
- Sex,
- Previous hospital admissions within the prior six months,
- Admission source (e.g., physician reference, skilled nursing facility reference),
- Admission type (e.g., elective or emergency), and
- The presence of up to seven comorbid conditions—cancer, chronic cardiovascular disease, chronic renal disease, chronic liver disease, chronic pulmonary disease, cerebrovascular degeneration, and chronic diabetes. A list of the ICD-9-CM codes defining the comorbid conditions is in Table 2 following this Introduction section.

Standard Deviation (SD)

The standard deviation is a tool to gauge the extent to which the difference between the observed and predicted mortality rate is meaningful. In general, the greater the difference between the two rates, the greater the probability that the difference represents an actual variation from what would be expected in view of the national experience. The less chance that the difference between the PRED and the OBS can be attributed to statistical variability, the more grounds for possible concern about the institution's performance.

Information on how to use the SD to construct prediction intervals for use in assessing the real difference between the OBS and the PRED is included in the Technical Information section of this Introduction. The precision and interpretability of the estimates are weaker when there are no deaths or 50 or fewer cases in a particular category being analyzed. Thus, for these instances, dashes ("---") are placed in the SD column.

Observed Mortality Rate And Predicted Range For Medicare Patient Admissions For All Causes

Also in this year's report, we have presented graphs that display the information for most hospitals described above for FYs 1988 and 1989, as well as FY 1990. (In particular, these graphs could not be computed for hospitals that had 50 or fewer cases or no deaths in FYs 1988, 1989, or 1990). In constructing the graphs, we used 2 times the standard deviation to approximate a 95 percent prediction interval. The observed mortality is shown as a dot (•). The predicted mortality is shown at the middle of a range of mortality rates. The bottom of the range is the predicted mortality minus twice the standard deviation, and the top of the range represents the predicted mortality plus twice the standard deviation. The graphs for FY 1988 and FY 1989 are based on new random samples and new computations for this year's report. Thus, the calculations for some hospitals for FY 1988 and FY 1989 may be different from previous releases, because we are including more current data in this year's report.

FY 1990 Values For Selected Explanatory Factors Used To Predict Mortality Rates

This year's report includes the FY 1990 average at each hospital of many of the explanatory factors used to predict that hospital's mortality rates. This information provides a profile of the patients used in the analysis and should help to identify possible systematic coding errors in the claims data used to calculate the mortality rates. These percentages are derived from the patients included in the sample and should be applied to the total number of cases listed in "All Causes." It is important to note that neither the admission sources/types nor the comorbidities categories are mutually exclusive. For example, a patient could be both "referred by his personal physician" and "admitted for elective procedure." Similarly, a patient could have secondary diagnoses of both cancer and diabetes.

Information Sources And Notes

We believe that when the mortality rate information is properly understood and applied, it can be very useful; it can also be misleading if it is interpreted incorrectly. The information simply describes one of several possible outcomes at a hospital—postadmission mortality for Medicare beneficiaries.

Mortality information is not necessarily representative of a hospital's total performance in all aspects of patient care. Individual hospitals may have very good reasons for their rates being higher than the rates predicted by the HCFA model. For example, one hospital might have different death rates than another because its patient mix is not fully accounted for by the model.

Accordingly, we offered each hospital the opportunity to review their specific information and to provide comments to HCFA and the public, and we included those comments that were received timely at the end of this volume. Users should read the discussions about the uses and limitations of the mortality information found on page xiii, as well as any comments a hospital may have provided.

Hospitals In The Analysis

The hospitals included in this analysis are participating in Medicare as short-term, acute care facilities—all have a zero in the third position of their Medicare provider number. All other hospitals—those with something other than a zero in the third position of their provider number, such as rehabilitation facilities or psychiatric institutions—were excluded. This year, as in the past two years, we have also excluded hospices.

In some cases, we have included data for hospitals that closed, changed ownership, or changed management either during or subsequent to FY 1990. Our data included for those institutions reflects the situation as it existed at the time the hospitalizations analyzed occurred.

Data Sources

This report is based primarily on Medicare hospital billing information for Federal fiscal years 1988, 1989, and 1990. While the principal source of the data for the analysis was the HCFA-maintained Medicare Provider Analysis and Review (MEDPAR) file, which contains information about each Medicare hospitalization, some of the information about beneficiaries, such as date of death, was obtained from the Social Security Administration. Hospitals submit bills to HCFA's fiscal intermediaries (which handle claims for the inpatient care provided to Medicare beneficiaries) which, in turn, submit this information to HCFA. The file is updated on a quarterly basis. Our analysis was based on information available following the June 1991 update of the MEDPAR file. It is estimated that by that time (nine months after the close of the fiscal year), 98 percent of all Medicare discharges in FY 1990 are included in the file.

Possible Limitations Of The Data

In any large-scale data base, such as the one dealing with Medicare hospitalizations, there will be gaps or inaccuracies. For example, last year some hospitals had not accurately reported the source or type of admission, and thus erroneous information was included in the analysis for those hospitals. However, the fact that the files contain information on about 10 million hospital admissions to nearly 6,000 hospitals for each year provides some assurance that, for purposes of the statistical analysis conducted here, the information that might be

missing or inaccurate is such a small portion of the total that it would have little effect on the results for national estimates. Nevertheless, it may substantially affect an individual hospital if it were the source of the inaccurate information.

While we feel that the information used in this analysis is thorough and complete, there are a few points to keep in mind as you review the mortality information.

The information used is billing data; it is only as good as the information submitted by hospitals as part of the payment process. Although there is always a possibility that coding errors are included, we assume that, given the link to payment, hospitals have an incentive to submit bills accurately and promptly. We do know, however, that some hospitals submitted incomplete or erroneous data.

For example, following last year's public release of the hospital mortality data, several hospitals wrote to HCFA indicating that they had submitted incorrect data. Furthermore, they stated that if they had given us the correct information, their predicted mortality rates would have been higher than those presented in HCFA's report. Therefore, in this year's report we have annotated those hospitals' data pages with a footnote stating: "This hospital says that it submitted inaccurate data to Medicare and claims that its predicted mortality rate should be higher than that presented above." At this point, however, HCFA cannot confirm the validity of those hospitals' claims. The analysis results might very well be different if the data on which they were based were submitted accurately by those hospitals.

In our previous analysis of mortality data, we discovered that some States had zero admissions from a skilled nursing facility. While some of these problems were corrected on the MEDPAR files used for this analysis, at the time this study was initiated we found empirical evidence that some of the files still contained suspect information. The suspect data were identified by noting those months (date of discharge) and fiscal intermediaries for which the type and source of admission fields appeared to be interchanged. Based on our findings, we reversed these fields to at least partially correct the remaining discrepancies. The following list shows the specific instances for which the fields were reversed for this analysis.

TYPE AND SOURCE OF ADMISSION FLIPPED

FI No.	FI Name	Dates
00030	Arizona Blue Cross	10/01/86 — 12/31/88
00080	Maryland Blue Cross/DC	06/01/87 — 09/30/87
00190	Maryland Blue Cross	06/22/87 — 12/31/88
00400	Texas Blue Cross	12/07/87 — 12/31/88

How To Use This Information

There are several key points to remember about the use of this information. **First, it is important to understand that the difference between the hospitals' mortality rates and the predicted rates in the tables in this report may not be a direct measure of the quality of care rendered in the hospitals.**

Second, the usefulness of this information depends upon the accuracy with which mortality rates can be predicted. We do not currently have any direct measurement tool with which we can fully adjust for severity of patient illness differences among hospitals. For instance, two hospitals may have very different death rates for patients admitted for stroke, even after we have adjusted for age, sex, and several other factors. This might happen because one hospital's stroke patients may consist of a significant number who are admitted in a coma (and are thus more likely to die), whereas another hospital's patient population may represent a broader spectrum of patients with cerebrovascular problems, or because these two hospitals, in fact, do provide different levels of quality of care. In addition, other factors affecting the probability of death in a particular case (e.g., family status/support, overall health status of the patient, etc.) are not included in the predictive model because information on them is not readily available.

Nevertheless, we believe that the information presented in this publication is an important contribution to the health care community and should be helpful to a wide range of individuals and organizations including consumers, hospital administrators, physicians, PROs, and researchers.

Use By Consumers — Some Key Questions

Consumers should read carefully the explanations of the uses and limitations of the information. Listed below are some questions that we recommend a consumer think about before choosing a hospital. Please keep in mind that this is not a comprehensive list, but it should serve to illustrate the types of questions that are important to consider.

- Why are the hospital's observed mortality rates for "All Causes" consistently and significantly above the predicted rates for FY 1990?

- Why are the hospital's observed mortality rates for the condition for which I need treatment or the procedure I will undergo consistently and significantly above the predicted rates for FY 1990?

- How does this hospital's pattern of mortality compare with that of other hospitals in the State and Nation?

- Is the number of cases too small to present a satisfactory picture of the hospital?

- Does the hospital treat a large number of cases in the category for which I need treatment?

- Does the hospital treat a large number of patients who have several co-existing illnesses or who otherwise are likely to be "sicker" than average?

Other Users Of This Publication

Among other users of this publication, we expect that the hospital administrator (in consultation with medical staff) will find the information most useful as a screening tool to evaluate a hospital's strengths and weaknesses. We know that some hospitals and their medical staffs, using established and newly emerging quality assessment techniques, are seeking information that will result in improved health care delivery.

Outside Assistance In Developing This Publication

The development and presentation of the Medicare Hospital Information report continues to be an important part of HCFA's responsibilities in the health care community. To make the information as accurate and useful as possible, over the past several years we have discussed the theoretical framework and statistical approach with a number of nationally recognized technical experts in appropriate fields. Based on their recommendations, we believe that the models used in these analyses continue to be reasonable and appropriate.

In the past, we have conducted validation studies of our methodology. In general, these studies have found correlation between poor quality care and hospitals whose observed mortality rates significantly exceed the rates that would have been predicted. However, we have also found that detailed clinical data which more thoroughly characterize the severity of patient's illness, while they do not materially affect results describing the general pattern of mortality, do, in specific instances, alter our assessment of the comparison of the observed to the predicted mortality rates.

The format for presentation, the process for sharing the information with individual hospitals, and the statistical methodology have been discussed at various meetings with leaders of organizations representing Medicare beneficiaries, physicians, and hospitals. Also, we have spent many months reviewing the comments received from the hospitals regarding their patient-specific data for earlier years and our previous mortality information reports. Many suggestions from these sources have been incorporated into this report.

We have carefully investigated comments from individual hospitals on apparent discrepancies or errors generated in previous years. These discrepancies rarely had an effect on a hospital's overall mortality rate. Most of these instances fell into the following two broad categories.

- **Inaccurate Date of Death** — We found that inpatient billing coding errors (e.g., a hospital bill indicating that the patient's status at time of discharge was "expired" when the patient had, in fact, left the hospital alive) created many of these errors. We now have mechanisms in place that allow a continuous update of HCFA's master file, thereby enabling us to make corrections.

- **Discrepant Case Counts** — Our analysis counts only one acute care discharge in a fiscal year; normally, hospitals count each discharge. Thus, a patient admitted three times in a year would count three times for the hospital, but only once for the purpose of analyzing Medicare hospital mortality data presented in this report.

We believe it is important for consumers of health care to have access to as much information about hospitals as possible when making health care choices. Along with hospital characteristics information, we have added this year information about the origin and length of stay of Medicare admissions. This information is presented for comparative purposes only and was not used in calculating a hospital's predicted mortality rates. These data were not part of the analyses, and any errors or discrepancies in them do not affect the predicted mortality rates.

Origin of Medicare Admissions

Data on the geographic origin of each hospital's patients are presented in this year's report. We obtained from the Health Insurance Master file the State and county of residence for each Medicare beneficiary discharged from a Medicare-certified, acute care hospital during FY 1990. We then compared that information with the location of the hospital to determine the percentage of all discharges where the patient lived within the same city/county as the hospital location, within the State where the hospital is located, or outside the State. The percentages are derived by dividing the number of discharges of beneficiaries in a geographic category by the total number of Medicare discharges from the hospital. Please note that these are percentages of total Medicare discharges, not of the mortality sample alone.

Medicare Average Length of Stay

We obtained from the MEDPAR file the total days of care—both Medicare covered and noncovered—and divided that total by the number of discharges from each hospital. Total, rather than covered, days were used because, under the Prospective Payment System (PPS), if a Medicare patient has at least one day of hospital coverage available to him in the current spell of illness, the hospital will be paid the full diagnosis related group (DRG) amount plus any approved outlier amount, regardless of the number of days actually used.

Example: Hospital A had 2,513 Medicare discharges with a total of 24,379 days.

Calculation: $\frac{24,379}{2,513} = 9.7$ days

The Medicare average length of stay is 9.7 days.

HOSPITAL CHARACTERISTICS

As noted previously, we have again included information on selected hospital characteristics such as the number of beds, occupancy rate, ownership, staffing, and specialty services. This information was obtained from the American Hospital Association's (AHA) 1990 Annual Survey of Hospitals, with the exception of the case mix index (CMI), which was derived from HCFA billing data. This file consists of information voluntarily reported by hospitals to the AHA. In instances where AHA data were unavailable, for example for hospitals that did not respond to the AHA survey, we derived the information from HCFA's Online Survey, Certification and Reporting system (OSCAR). The hospital characteristics and the specific special services listed were selected with the concurrence of the AHA as being those most meaningful to the Medicare population. Information on these specific data elements follows.

AHA Definitions (except for CMI)

Survey and Year — AHA 1990. Source is the American Hospital Association's 1990 Annual Survey of Hospital files.

Profile

Total beds (#) — Number of beds (including subacute beds), cribs, and pediatric and neonatal bassinets regularly maintained (set up, staffed, and ready for use) for inpatients as of the close of the reporting period; does not include bassinets for normal newborn infants.

Occupancy rate (percent) — Ratio of average daily census to the average number of beds (statistical beds) maintained during the 12-month reporting period. (NOTE: The number of these "statistical beds" may differ from the bed count at the close of the reporting period.)

Ownership/control — State government, local government, district/authority, church, private nonprofit, private for profit, or Federal Government.

Medicare discharges — The total number of inpatient discharges for Medicare patients for those hospitals selected for the mortality calculations, including all discharges for persons with more than one hospitalization during the year. (The mortality data include only one randomly selected discharge for each hospitalized enrollee. Therefore, this figure may reflect more discharges than the actual number of cases randomly selected for the mortality study.)

Case mix index (CMI) — A measure of the overall complexity of the Medicare cases treated by a given hospital compared to the complexity of the national average case mix. The CMI represents the relative costliness of each hospital's mix of cases compared to the national average mix of cases. A CMI of greater than one means that a hospital treats more complex cases than average. A CMI of less than one means that a hospital treats less complex cases than average. The CMI for each hospital is calculated on an annual basis. In this report, the CMI presented for each hospital is calculated based on its discharges in FY 1990.

A hospital's CMI is calculated by multiplying the number of cases in each DRG by the relative weight of that DRG, summing the products, and dividing the sum by the total number of cases for the year. For calculating the FY 1990 CMI, use the DRG relative weights published in the *Federal Register*, Volume 54, Number 169, pages 36468 ff., dated September 1, 1989.

Staffing (all AHA counts are as of 9/30/90)

Total number of physicians — Total active and associate medical staff.

Percent of physicians who are board-certified specialists — Physicians who have passed an examination given by a medical specialty board and have been certified by that board as a specialist.

Medical residents/interns — Full-time equivalent (FTE) medical residents or interns.

Registered nurses — Full-time equivalent (FTE) registered nurses.

Licensed practical nurses — Full-time equivalent (FTE) licensed practical nurses.

Specialty Services

Burn Unit — Provides more intensive care to severely burned patients than the usual acute nursing care provided in medical and surgical units. Beds must be set up and staffed in a unit specifically designated for this service.

Cardiac Intensive Care — Provides patient care of a more specialized nature than the usual medical and surgical care, on the basis of physicians' orders and approved nursing care plans. The unit is staffed with specially trained nursing personnel, and contains monitoring and specialized support or treatment equipment for patients who, because of heart seizure,

open-heart surgery, or other life-threatening conditions, require intensified, comprehensive observation and care. May include myocardial infarction, pulmonary care, and heart transplant units. Beds must be set up and staffed in a unit(s) specifically designated for this service.

Comprehensive Geriatric — Provides diagnostic and evaluation services that determine elderly patients' long-term care needs. It includes the assessment of medical conditions, functional activities, and mental and emotional conditions, and incorporates these into a treatment plan which includes family and financial concerns as well as medical needs.

Hospice Care — A program providing primarily medical relief of pain and support services to terminally ill patients and assistance to their families in adjusting to the patients' illness and death.

Medical/Surgical Intensive Care — Provides nursing care to adult and/or pediatric patients of a more intensive nature than the usual medical, surgical, pediatric, and/or psychiatric care on the basis of physicians' orders and approved nursing care plans. Included are medical-surgical, pediatric, and psychiatric (isolation) units. These units are staffed with specially trained nursing personnel, and contain monitoring and specialized support equipment for patients who, because of shock, trauma, or life-threatening conditions, require intensified, comprehensive observation and care. These units may also include cardiac care when such services are not approved in a distinct cardiac care unit. This category is called "intensive care unit" in OSCAR.

Organ/Tissue Transplant — The hospital has the necessary staff and equipment to perform the surgical removal of a viable human organ or tissue from a donor, either living or deceased, and the surgical grafting of the organ/tissue to a suitably evaluated and prepared patient.

Other Intensive Care — Provides nursing care to adult and/or pediatric patients with a specialized disease or condition of a more intensive nature than the usual medical, surgical, pediatric, and/or psychiatric care on the basis of physicians' orders and approved nursing care plans. Examples reported include oncology or spinal cord injuries. These units are staffed with specially trained nursing personnel and contain monitoring and specialized support equipment appropriate for the patients' specialized conditions.

Trauma Center — Provides emergency and specialized intensive care to critically injured patients.

Other Specialty/Hospital-Based Services

Alcohol/Drug — Hospital services for the medical care and/or rehabilitative treatment of outpatients whose primary diagnosis is alcoholism or other chemical dependency.

Rehabilitation — A unit having designated beds and providing a comprehensive array of multidisciplinary medical rehabilitation services.

Psychiatric — Care provided to emotionally disturbed, chronically mentally ill, mentally disordered, or other mentally incompetent patients on the basis of physicians' orders and approved nursing care plans. Beds must be set up and staffed in units specifically designated for this service.

Medicare Swing Beds — The hospital is certified by Medicare to provide "swing bed" services; that is, some acute care beds can be used for skilled nursing facility type care in the hospital for Medicare purposes.

OSCAR Definitions (except for CMI)

Survey and Year — HCFA, most recent year. Data were derived from the Online Survey, Certification and Reporting System (OSCAR).

Profile

Total beds (#) — Total number of operational beds eligible for Medicare payment.

Ownership/control — Church; private, nonprofit; other nonprofit; proprietary; Federal Government; State government; local government; and hospital district or authority.

Case mix index (CMI) — See definition shown in AHA "Profile" section.

Staffing

Medical residents/interns — Full-time equivalent (FTE) medical residents or interns.

Registered nurses — Full-time equivalent (FTE) registered nurses.

Licensed practical nurses — Full-time equivalent (FTE) licensed practical nurses.

Specialty Services

NOTE: There are no specific definitions of specialty services in OSCAR. Characteristics are self-reported by each hospital at initial Medicare certification and recertification, and are generally understood to parallel the explicit AHA definitions (above). The AHA categories "comprehensive geriatric" and "other intensive care" are not available in OSCAR. However, they may be included in the OSCAR category of other specialty services (not shown in table).

Coronary Care — See definition shown in AHA "Specialty Services" section.

Intensive Care Unit — See definition shown in AHA "Specialty Services" section. These units may also include other intensive care units in OSCAR reporting.

Organ Transplant — See definition shown in AHA "Organ/Tissue Transplant" section. May include tissue transplants because there is not a separate field in OSCAR for these services.

TECHNICAL INFORMATION

DATA SOURCES

The data analyzed in this report are obtained from the Medicare Provider Analysis and Review (MEDPAR) file for the fiscal years 1987-1990, which contains information on the hospital stays of Medicare beneficiaries. The principal sources of data for this file are the bills (known as HCFA-1450 or UB-82) submitted by the hospitals to HCFA through fiscal intermediaries. The MEDPAR file also contains data about the beneficiaries, such as age, sex, and date of death, which are obtained from the Social Security Administration, the Railroad Retirement Board, or the Office of Personnel Management.

Hospital stays with discharges in fiscal years 1988, 1989, and 1990 were used in these analyses. Hospital stays in 1987 were used only to characterize the prior admissions of the patients in the 1987 cohort. Only acute care hospital stays in short-term (general and specialty) hospitals were selected. These hospitals have a "0" in the third position of their Medicare provider number. Hospital stays in institutions (designated by a "9" in the fourth position of the provider number) and hospital stays in psychiatric units, rehabilitation units, swing-beds and alcohol/drug units (with "special unit codes" of S, T, U and V, respectively, in the third position) were excluded.

THE MORTALITY MODEL

For each beneficiary in each year one hospitalization was selected at random. Choosing a specific hospitalization is necessary to avoid multiple counting of the same death for that year. Selecting a random hospitalization instead of the first or last in the year produces mortality rates that are more representative of the rates that a hospital might calculate for its patients. Also, the mortality rates based on this random selection process reflect an intermediate position between the rates produced by the alternatives.

The selected hospital stays were analyzed separately by analytical category. The analytical categories were created by grouping ICD-9-CM diagnosis codes that had similar mortality patterns. The procedures for creating the analytical categories and the groups of ICD-9-CM diagnosis codes that defined them are detailed in the Technical Supplement.

The mortality experience of the patients was evaluated as a function of time within 365 days of the admission. The factors included in the mortality model used to evaluate each patient's probabilities of death are given in Table 3. They consist of demographic characteristics (age and sex), major comorbidities (chronic diseases likely to have been present at admission and believed to

complicate management and increase the likelihood of an adverse outcome), prior admissions (grouped into five risk or severity levels) within the 6 months preceding the admission evaluated, admission type (emergent, elective, etc.), and admission source (referral from the physician's office, the nursing facility, etc.). The specific reason for the admission (the principal diagnosis) and the performance of selected surgical procedures were additional factors used in the estimation of the predicted probability of death (see below).

The observed mortality rate for a hospital was calculated by means of the lifetable method ("The LIFETEST Procedure," Chapter 22, SAS User's Guide: Statistics, Version 5 Edition, pages 529-557).

ANALYTIC TECHNIQUES

A time-to-event or survival model with explanatory or concomitant variables was used to ascertain the influence of the patient characteristics listed above on the probability of death. A feature of such a model is allowance for "right censored" observations. Generally, these are events or outcomes which would have occurred but for some interference that prevents further observation. In the present analysis, "right censoring" occurs when a patient is withdrawn alive from the study April 1, 1991 or at the end of the followup period of 365 days.

The survival function, S(t), is one of several equivalent ways of expressing the model. Another form uses the cumulative distribution function or the mortality function

$$F(t) = 1 - S(t).$$

Another useful formulation of these models is the hazard function, h(t), also known as the force of mortality or risk function. The hazard is the rate of decrease in the number of survivors relative to the number of survivors at a specific time. Mathematically, the hazard function is

$$h(t) = -\frac{1}{S(t)}\frac{dS(t)}{dt} = -\frac{d\ln(S(t))}{dt}.$$

The probability density function, f(t), commonly used in statistical texts can be expressed as follows:

$$f(t) = \frac{dF(t)}{dt} = h(t)S(t).$$

The area under the survival curve is the expected value for t. In some cases, the area under the survival curve is restricted to an interval $0\text{-}t_1$ where t_1 might be one year, for example.

The specific time-to-event or survival model used in the present analysis is Bailey's modification of the Makeham model. The survival function for the Bailey-Makeham model is

$$S(t) = \exp\left\{-\delta t - \left(\frac{\alpha}{\gamma}\right)(1 - \exp(-\gamma t))\right\}$$

where

$$\alpha = \exp(\alpha_0+\alpha_1 x_1+\ldots+\alpha_i x_i+\ldots+\alpha_k x_k)$$
$$\gamma = \exp(\gamma_0+\gamma_1 x_1+\ldots+\gamma_i x_i+\ldots+\gamma_k x_k)$$
$$\delta = \exp(\delta_0+\delta_1 x_1+\ldots+\delta_i x_i+\ldots+\delta_k x_k)$$

are the expressions for each of the structural parameters α, γ, and δ in terms of the k concomitant variables x_i and their associated component parameters α_i, γ_i, and δ_i for i=1, 2,..., k and three intercepts or component parameters α_0, γ_0, and δ_0. The structural parameter δ is the long-term risk which is approached as $t \rightarrow \infty$. The structural parameter α is the initial excess risk which decays with rate constant γ.

For the survival function given above, the risk or hazard function has an especially tractable form of an exponential decay which approaches a long-term risk, δ. The hazard function corresponding to the survival function above is

$$h(t) = \alpha\exp(-\gamma t) + \delta \, .$$

The estimation of the component parameters was carried out in a series of steps in which those covariates which had estimable and statistically significant ($p<0.05$) influences of the probability of death were identified for inclusion in the model. As the model for each of the 23 risk categories was estimated separately, different lists of covariates were used for the final core models.

This first step was followed by the estimation of the additional contribution of specific principal diagnoses in each risk category. In these analyses, the effects of the patient characteristics included in the core models were corrected for. Only those principal diagnoses were retained which were estimable and had more than 900 cases (more than 300 for codes identified by year). Similarly, after adjustment for the effects of both the variables in the core model and the principal diagnoses, correction terms were calculated to estimate the additional information about the probability of death associated with the categorization of the patients into the clinical groups used for the presentation of the data in the mortality tables (see below). These correction terms were negligible for the medical categories but substantial for the surgical categories.

Once the component parameters or regression coefficients α_i, γ_i, and δ_i have been estimated, the predicted probability of patient death at any specified time after admission, 1-S(t), may be calculated for all individuals. To obtain the predicted mortality rate up to a given time for a hospital, it is then only necessary to average over the predicted probabilities of death of its patients to that time.

The analytical categories are useful for grouping the patients into relatively risk-homogeneous strata for the regressions. However, to gain insights into patterns of practice at hospitals, the data are presented for patients grouped into clinically meaningful medical and surgical categories. The 17 clinical categories used in the mortality tables and defined in Table 1 were identified by the Institute of Medicine as being of particular medical and epidemiologic interest.

Estimation of the Standard Deviation for Predicted Mortality

The standard deviation of the predicted mortality rate is used to assess how statistically different the observed mortality rate is from the rate predicted by the national experience with like patients. The standard deviation depends, in fact, on the variance of the residual or the difference between the observed, P, and predicted, $\hat{\Theta}$, mortality rates.

The residual has four components V_1, V_2, V_3, and V_4 where V_1 is the variance of the estimate of the predicted probability of death. This computationally intensive term was negligible for nearly all cases, compared to other components of variance. Consequently, this term was not included in the present analysis.

V_2 is the binomial variance for n patients

$$V_2 = \frac{\hat{\Theta}\left(1 - \hat{\Theta}\right)}{n}.$$

V_3 is the variation among hospitals not explained by the mortality regression models containing the patient characteristics described above.

$$V_3 = \widehat{\mathrm{Var}(\Theta)} = \left(1 - \frac{1}{n}\right) \widehat{M_2(\Theta)}$$

where

$$\widehat{M_2(\Theta)} = \left\{ \left(\begin{array}{c} \text{Predicted mortality} \\ \text{on basis of} \\ \text{patient characteristics and} \\ \text{adjustment for hospital effects} \end{array} \right) - \left(\begin{array}{c} \text{Predicted mortality} \\ \text{on basis of} \\ \text{patient characteristics,} \\ \text{but omitting the hospital specific effects} \end{array} \right) \right\}^2 \left(\frac{1}{z_p^2} \right)$$

The quantity z_p corresponds to the statistical significance (p-value) of the hospital-specific effect.

V_4 is the variation not explained by the mortality regression models which each include, in addition, an indicator variable for the hospital:

$$V_4 = \left\{ \left(\text{Observed mortality} \right) - \left(\begin{array}{c} \text{Predicted mortality} \\ \text{on basis of} \\ \text{patient characteristics, and} \\ \text{adjustment for the hospital specific effects} \end{array} \right) \right\}^2$$

(The regression coefficients of the indicator variable for the hospital are a measure of the influence on the probability of patient death of factors not otherwise specified in the model. These factors include severity of illness not adequately reported on by the patient characteristics deduced from the claims data and the hospital's pattern of practice; i.e., performance.)

The standard deviation given in the mortality tables is just

$$SD = \sqrt{V_2 + V_3 + V_4}.$$

Standardized Mortality Ratio (SMR)

Another method of evaluating a hospital's performance—the Standardized Mortality Ratio (SMR)—is obtained by dividing the observed mortality rate by the predicted mortality rate. An SMR of one means the observed and predicted mortality are equal. A ratio greater than one means the observed mortality exceeds the predicted. A ratio less than one means the observed mortality is less than expected. The more extreme the ratio (significantly greater than one indicating unusually high mortality and significantly less than one indicating unusually low mortality), the greater the attention which should be paid to the results of this mortality report.

For each of the conditions and procedures, selected percentiles for the observed distribution of the SMR are displayed in Table 4. The selected percentiles provide benchmarks for comparison. For example, for a hospital

with 300 cases in the "All Causes" category, with observed mortality of 12.2 percent and predicted probability of 10.0 percent at 30 days, the standardized mortality ratio is

SMR = 12.2/10.0 = 1.22.

Note that an SMR of one means the observed and predicted mortality are equal, while a ratio greater than one means the observed mortality exceeds the predicted, and a ratio less than one means the observed mortality is less than expected. There will be greater interest in the more extreme ratios, either greater than one — excessively high mortality — or less than one — extremely low mortality.

From Table 4 for FY 1990, we find that the ratio is just below the 75th percentile of 1.23. Hence, slightly under 75 percent of the hospitals have an SMR less than that found at this hospital.

However, for a hospital with 900 cases in the "All Causes" category, with observed mortality of 19.3 percent and predicted probability of 10.0 percent at 30 days, the standardized mortality ratio is

SMR = 19.3/10.0 = 1.93.

Since the SMR of 1.93 is greater than the 97.5 percentile of 1.35 (Table 4 for 750 or more cases), there is cause for concern. To further assess this, we examine the displayed data in terms of the measure of uncertainty, the standard deviation.

Measures of Uncertainty

In principle, to use the standard normal approximations to determine prediction intervals, an adjustment must be applied for the skewness and kurtosis inherent in a mortality rate when the rate is considerably less than 50 percent and the number of cases is small. Table 5 presents the multiplicative factors, based on the binomial distribution, for the standard deviation needed to construct prediction intervals for the mortality rates at confidence levels of 75, 95 and 99 percent. Because of the approximations involved in the estimation of the skewness and kurtosis corrections, their precision decreases as the number of cases and the mortality rate decrease; i.e., as the value of the correction increases. In addition, because of simplifications and approximations in the estimation of the standard deviation, the precision of the multiplicative factors given in Table 5 exceeds the precision of the estimate of the standard deviation. Hence, the following rule-of-thumb represents an adequate approximation to the factors in Table 5 and an adequate guide to the **statistical meaningfulness** of the difference between the observed and the predicted mortality rates.

To illustrate the use of Table 5, consider a hospital with 75 cases and a predicted mortality of 13.0 percent with a standard deviation of 5.0 percent. Overall, for hospitals with patients with characteristics similar to those of this hospital, we would expect the actual or observed mortality rate to lie, 95 percent of the time, either between 13.0 percent and 22.9 percent if the actual is larger than the predicted, or between 3.3 percent and 13.0 percent if the actual is less than the predicted. That is because 22.9 percent = 13.0 percent + 1.98 x 5.0 percent, the factor 1.98 having been read from the section of Table 5 with the heading "95 Percent Prediction Interval" and "Factor for Upper Bound," the row "75" for the number of cases, and, by interpolation, between the "10 percent" and the "20 percent" predicted mortality rate columns. Similarly, 3.3 percent = 13.0 percent - 1.94 x 5.0 percent, the factor -1.94 having been read from the section of Table 5 with the heading "95 Percent Prediction Interval" and "Factor for Lower Bound" and the corresponding row and columns.

Therefore, in comparing the actual and predicted rates, more attention should be given to the hospital whose observed mortality rate lies beyond the bounds calculated for the 99 percent prediction interval than to the hospital whose observed mortality rate lies only beyond the bounds calculated for the 95 percent prediction interval. Likewise, more attention should be given to that hospital than to the hospital whose observed mortality rate lies only beyond the bounds calculated for the 75 percent prediction interval.

For the graphs, the observed mortality and an approximate 95 percent prediction interval are displayed. The prediction interval has bounds at the predicted mortality plus 2 times the standard deviation and at the predicted minus 2 times the standard deviation.

In the mortality rate tables, the observed and predicted mortality rates and the standard deviation as a measure for statistical importance of the difference are displayed for the overall and each of the conditions and procedures.

How To Obtain Medicare Hospital Information

The publication has been widely distributed to State health organizations and hospital and medical associations. The publication is available to the public for purchase in 55 volumes, with each volume being sold separately through the Government Printing Office (GPO). More detailed information about the purchase of this publication may be obtained by contacting:

Superintendent of Documents
Government Printing Office
Washington, D.C. 20402
Telephone: (202) 783-3238

As in prior years, the information appearing in the Medicare Hospital Information report is available in machine-readable/electronic format (tape and diskette). The Medicare Hospital Information public use file provides the published information as contained in the 55-volume hardcopy publication, except that the AHA's hospital characteristics are not on this file. Hospital characteristics from HCFA files (OSCAR) are provided instead. The files contain additional information which is useful for supplemental analyses: averages by hospital, MSA, and State for each of the variables used in the model, mortality rates for 15, 30, 60, 90 and 180 days, and cross-reference files which relate State, MSA, and ICD-9-CM codes used to a name. These data should allow analysts to assess an individual hospital's performance in comparison to all hospitals in the State or applicable MSA.

Also available to **hospitals** in machine-readable format is their patient-specific data that were used in the report. These data include the patient variables used in the analysis (e.g., the number and severity level of prior hospitalizations considered by the methodology, admission source and type, etc.) and the predicted probability of death at each time interval for each individual included in the study. With these data it is possible for hospitals to better understand their statistics. **Due to confidentiality considerations, requests for patient-specific data must be forwarded on hospital letterhead, must include the institution's Medicare provider number, and must be signed by the hospital administrator.**

For information about obtaining Medicare Hospital Information electronic media data, please contact HCFA's Bureau of Data Management and Strategy at:

Health Care Financing Administration
Bureau of Data Management and Strategy
Office of Statistics and Data Management
3-A-10 Security Office Park Building
6325 Security Boulevard
Baltimore, Maryland 21207
Telephone: (410) 597-5151

Table 1

DIAGNOSTIC AND PROCEDURE CATEGORIES

The following lists the ICD-9-CM diagnostic and procedure codes used to classify and group patients for presentation

CONDITION/PROCEDURE	ICD-9-CM CODES *(D)=Diagnosis code* *(P)=Procedure code*
Heart Disorders/Procedures	
Acute Myocardial Infarction (AMI)	All of 410 (D) (on 10/1/89 exclude 410 with 5th digit of a 2)
Note: *For code 410 a 5th digit was added on October 1, 1989.*	
Congestive Heart Failure (CHF)	398.91, 402.01, 402.11, 402.91, 428.0, 428.1, 428.9 (all D)
Angioplasty (ANGPLSTY)	All of 36.0 (P) excluding 36.00, 36.03, 36.04, 36.09 (all P)
Note: *Code 36.0 had a 4th digit added on October 1, 1986. Code 36.0 got digits of 0, 1, 2, 3, and 9, and code 36.04 got some previously coded cases of 39.97. On October 1, 1987, code 36.01 was divided into 36.01 and 36.05, and some cases from 36.02 were put into 36.05.*	
Coronary Artery Bypass Graft (CABG)	All of 36.1(P) and not Angioplasty (see above)
Pacemaker Insertion, Initial (PACE)	37.73, 37.74, 37.75, 37.77 (after 10/1/87 use 37.70 through 37.73) (all P)
Note: *Code 37.70 was restructured on October 1, 1987. Previously the code contained both leads and devices. On October 1 these were separated and devices were coded as 37.80 through 37.83, and codes for the leads were changed into various 37.70 codes.*	

CONDITION/PROCEDURE	ICD-9-CM CODES *(D)=Diagnosis code* *(P)=Procedure code*
Pulmonary Disorders	
Pneumonia/Influenza (PNU)	All of 480, all of 481, 482.2, 482.3, 482.9, 483, 485, 486, 487.0 (all D)
Chronic Obstructive Pulmonary (COPD)	All of 491, all of 492, all of 494, Disease all of 496; and 466.0, 518.82, 518.5, and 786.09 when there is a secondary diagnosis of any 496 (all D)

Note: *Code 518.8 got a 5th digit on October l, 1987. Some cases from 799.1 were put into codes 518.81 and 518.82.*

Cerebrovascular Disorders/Procedures	
Transient Cerebral Ischemia (TCI)	433.1, 433.3, 435 (D) and exclude those patients with an endarterectomy at the time of admission—38.12(P)
Stroke (STK)	431, 434 through 434.9, 436 (all D)
Carotid Endarterectomy (ENDART)	38.12 (P) with 433.1 (D); 433.3 (D) or 435(D) as a principal diagnosis
Musculoskeletal Disorders/Procedures	
Fracture of Neck of Femur (FXHIP)	All of 820 (D)
Hip Replacement/Revision (HIPREP)	81.5, 81.6 (exclude 81.69) (all P). On 10/1/89 code 81.51 (P) through 81.53 (P) with same diagnoses.
Open Reduction of Fractured Femur (OPRDUX)	79.35(P) on condition of 820 (D) as principal diagnosis

CONDITION/PROCEDURE	ICD-9-CM CODES *(D)=Diagnosis code* *(P)=Procedure code*
Genitourinary Disorders/Procedures	
Prostatectomy (PROS)	60.2, 60.3 through 60.69 (all P)
Hysterectomy (HYS)	68.3 through 68.7 (P)
Gastrointestinal Disorders/Procedures	
Cholecystectomy (CHOLOTMY)	51.22 (P)
Sepsis	
Sepsis	003.1, 020.2, 022.3, 036.2, 036.3, 036.89, 036.9, 038.0, 038.1, 038.2, 038.3, 038.40, 038.41, 038.42, 038.43, 038.44, 038.49, 038.8, 038.9, 054.5

Table 2

COMORBIDITY CONDITIONS

(all are D codes)

COMORBIDITY	ICD-9-CM CODES
Cancer	141-160.9, 162-172.9, 174-208.91
Chronic cardiovascular disease	412-414.9, 426-429.1
Chronic liver disease	571-572.8
Chronic renal disease	582-583.9, 585-587, 403.01, 403.11, 403.91, 404.02, 404.03, 404.12, 404.13, 404.92, 404.93
Chronic diabetes	250.01, 250.1-250.91
Chronic pulmonary disease	491-493.91, 496
Cerebrovascular degeneration	290-290.9, 294-299.9

Table 3

EXPLANATORY VARIABLES FOR THE MORTALITY MODEL

Generally the same variables are used for all diagnostic categories.

Demographics

SXFM — An indicator variable: = 1 if Female, 0 otherwise

AGEFM = AGESP if SXFM = 1, 0 otherwise
AGEML = AGESP if SXFM = 0, 0 otherwise

where

$$AGESP = \text{sign}(W-65)\left(\left|\frac{W-65}{65}\right|\right)^{1.44}$$

and

$$W = \left\{ \begin{array}{c} 23 \text{ if } AGE \leq 23 \\ AGE \text{ if } 23 < AGE < 100 \\ 100 \text{ if } 100 \leq AGE \end{array} \right\}$$

Comorbidities		**ICD-9-CM Codes**
(Indicator variables = 1 if comorbidity present on current or prior admission with discharge within 6 months prior to current admission, 0 otherwise)		
CCA	Cancer	141-160.9, 162-172.9, 174-208.91
CCV	Chronic cardiovascular disease	412-414.9, 426-429.1
CLV	Chronic liver disease	571-572.8
CRN	Chronic renal disease	582-583.9, 585-587, 403.01, 403.11, 403.91, 404.02, 404.03, 404.12, 404.13, 404.92, 404.93
CDI	Chronic diabetes	250.01, 250.1-250.91
COP	Chronic pulmonary disease	491-493.91, 496
CCE	Cerebrovascular degeneration	290-290.9, 294-299.9

Co Occurrence of Comorbidities

COP_CCV	1 if COP = 1 and CCV = 1, 0 otherwise
CCA_CCV	1 if CCA = 1 and CCV = 1, 0 otherwise
COP_CCA	1 if COP = 1 and CCA = 1, 0 otherwise
CCE_CCV	1 if CCE = 1 and CCV = 1, 0 otherwise
CRN_CCV	1 if CRN = 1 and CCV = 1, 0 otherwise

Admission Sources and Types

(Indicator variables = 1 if source or type present, 0 otherwise)

PREF	Patient referred by personal or HMO physician
TRSNF	Patient transferred from skilled nursing facility
ELCT	Patient admitted for elective procedure
EMRG	Patient admitted for emergency

Co-Occurrence of Admission Source and Type

PREF_ELEC = 1 if PREF = 1 and ELCT = 1, 0 otherwise

Previous Hospitalizations

P_RISK1	Number at 1st risk level with 3 or more set to 3
P_RISK2	Number at 2nd risk level with 3 or more set to 3
P_RISK3	Number at 3rd risk level with 3 or more set to 3
P_RISK4	Number at 4th risk level with 4 or more set to 4
P_RISK5	Number at 5th risk level with 3 or more set to 3
F(T)	Probability of death from previous admission if discharge within 182 days of current admission, 0 otherwise

Time Trend

FLAG89	1 if discharge in FY1989, 0 otherwise
FLAG90	1 if discharge in FY1990, 0 otherwise
INYEAR	Difference between current admission date and April 1 of fiscal year of discharge

TABLE 4
SMR DISTRIBUTION FOR HOSPITALS WITH GREATER THAN 50 CASES
1990 STUDY, FY1990

CONDITIONS/PROCEDURES	NUMBER OF HOSPITALS	30 DAYS					90 DAYS					180 DAYS				
		2.5%	25%	50%	75%	97.5%	2.5%	25%	50%	75%	97.5%	2.5%	25%	50%	75%	97.5%
OVERALL(< 750 CASES)	2645	0.45	0.88	1.04	1.23	1.72	0.56	0.90	1.03	1.17	1.54	0.61	0.90	1.02	1.15	1.46
OVERALL(>= 750 CASES)	2684	0.73	0.91	0.99	1.09	1.35	0.79	0.94	1.01	1.09	1.28	0.82	0.94	1.01	1.08	1.24
CONDITIONS																
AMI	1405	0.54	0.80	0.95	1.11	1.42	0.62	0.86	0.99	1.14	1.44	0.63	0.86	0.99	1.13	1.39
CHF	2335	0.43	0.79	0.98	1.17	1.64	0.60	0.85	0.99	1.13	1.49	0.66	0.89	1.00	1.13	1.41
PNEUMONIA/INFLUENZA	2428	0.41	0.78	0.97	1.18	1.68	0.53	0.84	1.00	1.17	1.55	0.57	0.86	1.01	1.16	1.50
COPD	435	0.00	0.63	0.97	1.34	2.06	0.30	0.78	1.02	1.26	1.74	0.40	0.82	1.01	1.24	1.69
TRANS. CEREBRAL ISCHEMIA	404	0.00	0.00	0.83	1.34	3.20	0.00	0.48	0.85	1.31	2.27	0.21	0.60	0.90	1.21	2.05
STROKE	1789	0.53	0.79	0.95	1.13	1.56	0.61	0.84	0.98	1.13	1.47	0.65	0.87	0.99	1.12	1.42
HIP FRACTURE	1199	0.21	0.67	0.93	1.27	2.10	0.40	0.76	0.94	1.19	1.80	0.47	0.78	0.97	1.16	1.64
SEPSIS	254	0.51	0.79	0.96	1.12	1.50	0.65	0.86	0.99	1.13	1.47	0.69	0.89	1.01	1.15	1.44
PROCEDURES																
ANGIOPLASTY	425	0.00	0.49	0.89	1.33	2.66	0.00	0.60	0.93	1.36	2.34	0.00	0.63	0.97	1.34	2.14
CABG	556	0.20	0.68	1.03	1.39	2.45	0.28	0.73	1.00	1.32	2.09	0.28	0.73	1.01	1.30	2.10
PACEMAKER	112	0.00	0.41	0.72	1.37	3.25	0.20	0.61	0.90	1.21	2.17	0.21	0.65	0.84	1.16	1.87
CAROTID ENDARTERECTOMY	73	0.00	0.00	0.85	1.33	2.90	0.00	0.14	0.74	1.28	2.43	0.00	0.42	0.86	1.38	2.86
HIP REPLACEMENT	763	0.00	0.53	0.94	1.44	2.77	0.19	0.67	0.96	1.31	2.12	0.26	0.71	0.94	1.26	1.91
REDUCT. OF HIP FRACTURE	276	0.00	0.56	0.86	1.22	2.05	0.31	0.68	0.92	1.19	1.76	0.38	0.77	0.96	1.12	1.58
PROSTATECTOMY	1576	0.00	0.00	0.73	1.57	3.56	0.00	0.49	0.91	1.40	2.63	0.00	0.57	0.92	1.29	2.21
CHOLECYSTECTOMY	714	0.00	0.49	0.95	1.54	2.68	0.00	0.62	0.93	1.37	2.22	0.22	0.67	0.98	1.27	1.93
HYSTERECTOMY	113	0.00	0.00	0.00	2.00	6.69	0.00	0.00	0.76	1.70	3.59	0.00	0.24	0.75	1.27	2.91

TABLE 4
SMR DISTRIBUTION FOR HOSPITALS WITH GREATER THAN 50 CASES
1990 STUDY, FY1989

CONDITIONS/PROCEDURES	NUMBER OF HOSPITALS	30 DAYS					90 DAYS					180 DAYS				
		2.5%	25%	50%	75%	97.5%	2.5%	25%	50%	75%	97.5%	2.5%	25%	50%	75%	97.5%
OVERALL(< 750 CASES)	2746	0.50	0.87	1.04	1.23	1.73	0.58	0.89	1.03	1.17	1.54	0.61	0.89	1.01	1.14	1.44
OVERALL(>= 750 CASES)	2669	0.71	0.90	1.00	1.09	1.35	0.79	0.94	1.01	1.08	1.28	0.82	0.95	1.01	1.07	1.24
CONDITIONS																
AMI	1412	0.53	0.81	0.96	1.12	1.47	0.59	0.86	1.01	1.15	1.47	0.63	0.87	1.00	1.14	1.43
CHF	2293	0.47	0.80	0.97	1.18	1.69	0.58	0.86	1.00	1.14	1.48	0.66	0.89	1.02	1.14	1.40
PNEUMONIA/INFLUENZA	2179	0.45	0.77	0.97	1.19	1.67	0.54	0.85	1.01	1.18	1.55	0.60	0.86	1.02	1.18	1.51
COPD	324	0.21	0.68	0.99	1.32	2.13	0.44	0.78	1.04	1.27	1.91	0.49	0.84	1.04	1.24	1.66
TRANS. CEREBRAL ISCHEMIA	420	0.00	0.00	0.79	1.41	3.26	0.00	0.46	0.88	1.33	2.36	0.18	0.60	0.92	1.25	1.97
STROKE	1728	0.53	0.80	0.95	1.12	1.56	0.62	0.85	0.97	1.11	1.46	0.67	0.88	0.99	1.13	1.40
HIP FRACTURE	1126	0.24	0.67	0.95	1.30	2.04	0.39	0.75	0.98	1.21	1.71	0.46	0.78	0.97	1.18	1.59
SEPSIS	174	0.52	0.79	0.94	1.10	1.52	0.63	0.88	1.02	1.15	1.46	0.68	0.93	1.05	1.16	1.43
PROCEDURES																
ANGIOPLASTY	370	0.00	0.46	0.84	1.35	2.55	0.00	0.55	0.88	1.33	2.52	0.00	0.61	0.94	1.32	2.44
CABG	501	0.21	0.65	1.00	1.47	2.57	0.23	0.69	1.00	1.33	2.29	0.32	0.74	1.01	1.33	2.21
PACEMAKER	91	0.00	0.52	0.74	1.12	2.31	0.00	0.56	0.83	1.15	2.14	0.20	0.68	0.81	1.16	1.87
CAROTID ENDARTERECTOMY	55	0.00	0.00	0.82	1.51	5.01	0.00	0.47	0.86	1.31	4.00	0.00	0.43	0.85	1.28	3.12
HIP REPLACEMENT	686	0.00	0.52	0.92	1.44	2.46	0.00	0.65	0.94	1.27	1.95	0.21	0.67	0.94	1.19	1.75
REDUCT. OF HIP FRACTURE	246	0.19	0.57	0.91	1.23	1.96	0.31	0.71	0.96	1.19	1.74	0.41	0.78	0.96	1.13	1.53
PROSTATECTOMY	1570	0.00	0.00	0.67	1.50	3.46	0.00	0.47	0.86	1.36	2.67	0.00	0.58	0.93	1.28	2.15
CHOLECYSTECTOMY	680	0.00	0.53	0.94	1.53	2.90	0.00	0.62	0.97	1.36	2.15	0.22	0.66	0.95	1.26	1.98
HYSTERECTOMY	101	0.00	0.00	0.00	1.80	5.44	0.00	0.00	0.78	1.60	4.21	0.00	0.00	0.91	1.38	2.99

TABLE 4
SMR DISTRIBUTION FOR HOSPITALS WITH GREATER THAN 50 CASES
1990 STUDY, FY1988

CONDITIONS/PROCEDURES	NUMBER OF HOSPITALS	30 DAYS					90 DAYS					180 DAYS				
		2.5%	25%	50%	75%	97.5%	2.5%	25%	50%	75%	97.5%	2.5%	25%	50%	75%	97.5%
OVERALL(< 750 CASES)	2838	0.46	0.89	1.05	1.23	1.75	0.54	0.90	1.03	1.16	1.57	0.59	0.90	1.02	1.14	1.45
OVERALL(>= 750 CASES)	2693	0.73	0.90	1.00	1.10	1.35	0.79	0.94	1.01	1.09	1.27	0.82	0.95	1.01	1.08	1.24
CONDITIONS																
AMI	1414	0.56	0.82	0.96	1.12	1.41	0.63	0.87	1.01	1.14	1.42	0.65	0.89	1.00	1.13	1.39
CHF	2246	0.45	0.79	0.97	1.18	1.61	0.60	0.86	1.00	1.14	1.43	0.68	0.90	1.02	1.13	1.37
PNEUMONIA/INFLUENZA	2069	0.44	0.79	0.97	1.17	1.68	0.57	0.85	1.01	1.17	1.59	0.61	0.87	1.01	1.16	1.53
COPD	310	0.21	0.67	0.92	1.30	2.17	0.39	0.79	0.98	1.20	1.81	0.51	0.82	0.99	1.19	1.59
TRANS. CEREBRAL ISCHEMIA	495	0.00	0.00	0.84	1.48	2.94	0.00	0.48	0.92	1.39	2.28	0.21	0.60	0.92	1.27	1.92
STROKE	1726	0.51	0.79	0.95	1.12	1.56	0.60	0.84	0.98	1.13	1.44	0.64	0.88	1.00	1.13	1.42
HIP FRACTURE	1119	0.24	0.65	0.96	1.27	2.07	0.40	0.78	0.98	1.21	1.77	0.47	0.80	0.98	1.17	1.64
SEPSIS	133	0.58	0.77	0.92	1.08	1.64	0.56	0.86	1.00	1.13	1.54	0.67	0.88	1.02	1.14	1.53
PROCEDURES																
ANGIOPLASTY	297	0.00	0.50	0.87	1.35	2.60	0.00	0.59	0.91	1.34	2.50	0.00	0.65	0.95	1.31	2.25
CABG	478	0.21	0.68	0.98	1.39	2.40	0.32	0.73	1.00	1.36	2.12	0.38	0.75	1.01	1.31	2.04
PACEMAKER	83	0.00	0.34	0.65	1.04	1.75	0.01	0.54	0.85	1.03	1.70	0.23	0.69	0.87	1.10	1.57
CAROTID ENDARTERECTOMY	69	0.00	0.00	0.60	1.23	3.30	0.00	0.33	0.62	1.09	2.50	0.00	0.44	0.68	1.16	1.87
HIP REPLACEMENT	670	0.00	0.49	0.95	1.40	2.65	0.00	0.66	1.01	1.31	2.15	0.24	0.70	0.96	1.24	1.87
REDUCT. OF HIP FRACTURE	259	0.00	0.61	0.91	1.26	2.16	0.38	0.74	0.96	1.21	1.94	0.44	0.77	0.96	1.16	1.79
PROSTATECTOMY	1619	0.00	0.00	0.78	1.53	3.69	0.00	0.54	0.92	1.39	2.57	0.00	0.61	0.93	1.30	2.21
CHOLECYSTECTOMY	642	0.00	0.50	0.96	1.44	3.04	0.00	0.61	0.96	1.36	2.26	0.25	0.66	0.96	1.27	2.01
HYSTERECTOMY	90	0.00	0.00	0.00	1.57	5.00	0.00	0.00	0.68	1.43	2.83	0.00	0.28	0.67	1.15	2.88

TABLE 5: MULTIPLICATIVE FACTORS FOR THE CALCULATION OF THE BOUNDS FOR PREDICTION INTERVALS

(n is the number of cases at your hospital and p is the predicted mortality rate)

	99% Prediction Interval					95% Prediction Interval					75% Prediction Interval				
	Factor for Upper Bound					Factor for Upper Bound					Factor for Upper Bound				
p n	1%	5%	10%	20%	40%	1%	5%	10%	20%	40%	1%	5%	10%	20%	40%
25	2.95	2.73	2.68	2.63	2.59	2.15	2.04	2.01	1.99	1.97	1.17	1.16	1.16	1.15	1.15
50	2.76	2.65	2.63	2.60	2.58	2.05	2.00	1.99	1.97	1.96	1.16	1.15	1.15	1.15	1.15
75	2.70	2.63	2.61	2.59	2.58	2.02	1.99	1.98	1.97	1.96	1.16	1.15	1.15	1.15	1.15
100	2.67	2.61	2.60	2.59	2.58	2.01	1.98	1.97	1.97	1.96	1.16	1.15	1.15	1.15	1.15
150	2.64	2.60	2.59	2.59	2.58	1.99	1.97	1.97	1.96	1.96	1.15	1.15	1.15	1.15	1.15
200	2.62	2.60	2.59	2.58	2.58	1.98	1.97	1.97	1.96	1.96	1.15	1.15	1.15	1.15	1.15
300	2.61	2.59	2.58	2.58	2.58	1.98	1.97	1.96	1.96	1.96	1.15	1.15	1.15	1.15	1.15
400	2.60	2.59	2.58	2.58	2.58	1.97	1.96	1.96	1.96	1.96	1.15	1.15	1.15	1.15	1.15
500	2.59	2.58	2.58	2.58	2.58	1.97	1.96	1.96	1.96	1.96	1.15	1.15	1.15	1.15	1.15
750	2.59	2.58	2.58	2.58	2.58	1.97	1.96	1.96	1.96	1.96	1.15	1.15	1.15	1.15	1.15
1000	2.59	2.58	2.58	2.58	2.58	1.96	1.96	1.96	1.96	1.96	1.15	1.15	1.15	1.15	1.15
2000	2.58	2.58	2.58	2.58	2.58	1.96	1.96	1.96	1.96	1.96	1.15	1.15	1.15	1.15	1.15
5000	2.58	2.58	2.58	2.58	2.58	1.96	1.96	1.96	1.96	1.96	1.15	1.15	1.15	1.15	1.15
	Factor for Lower Bound					Factor for Lower Bound					Factor for Lower Bound				
p n	1%	5%	10%	20%	40%	1%	5%	10%	20%	40%	1%	5%	10%	20%	40%
25	-2.21	-2.42	-2.48	-2.52	-2.56	-1.77	-1.88	-1.91	-1.93	-1.95	-1.13	-1.14	-1.14	-1.15	-1.15
50	-2.39	-2.50	-2.53	-2.55	-2.57	-1.87	-1.92	-1.93	-1.95	-1.96	-1.14	-1.15	-1.15	-1.15	-1.15
75	-2.45	-2.52	-2.54	-2.56	-2.57	-1.90	-1.93	-1.94	-1.95	-1.96	-1.14	-1.15	-1.15	-1.15	-1.15
100	-2.48	-2.54	-2.55	-2.56	-2.57	-1.91	-1.94	-1.95	-1.95	-1.96	-1.15	-1.15	-1.15	-1.15	-1.15
150	-2.51	-2.55	-2.56	-2.57	-2.57	-1.93	-1.95	-1.95	-1.96	-1.96	-1.15	-1.15	-1.15	-1.15	-1.15
200	-2.53	-2.56	-2.56	-2.57	-2.57	-1.94	-1.95	-1.95	-1.96	-1.96	-1.15	-1.15	-1.15	-1.15	-1.15
300	-2.54	-2.56	-2.57	-2.57	-2.57	-1.94	-1.95	-1.96	-1.96	-1.96	-1.15	-1.15	-1.15	-1.15	-1.15
400	-2.55	-2.57	-2.57	-2.57	-2.57	-1.95	-1.96	-1.96	-1.96	-1.96	-1.15	-1.15	-1.15	-1.15	-1.15
500	-2.56	-2.57	-2.57	-2.57	-2.58	-1.95	-1.96	-1.96	-1.96	-1.96	-1.15	-1.15	-1.15	-1.15	-1.15
750	-2.56	-2.57	-2.57	-2.57	-2.58	-1.95	-1.96	-1.96	-1.96	-1.96	-1.15	-1.15	-1.15	-1.15	-1.15
1000	-2.57	-2.57	-2.57	-2.57	-2.58	-1.96	-1.96	-1.96	-1.96	-1.96	-1.15	-1.15	-1.15	-1.15	-1.15
2000	-2.57	-2.57	-2.57	-2.58	-2.58	-1.96	-1.96	-1.96	-1.96	-1.96	-1.15	-1.15	-1.15	-1.15	-1.15
5000	-2.57	-2.58	-2.58	-2.58	-2.58	-1.96	-1.96	-1.96	-1.96	-1.96	-1.15	-1.15	-1.15	-1.15	-1.15

Medicare Hospital Information

ALICE PECK DAY MEMORIAL HOSPITAL

125 MASCOMA STREET
LEBANON, NH 03766
Medicare Provider Number: 300016

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%) 30 DAYS OBS	30 DAYS PRED	30 DAYS SD*	90 DAYS OBS	90 DAYS PRED	90 DAYS SD*	180 DAYS OBS	180 DAYS PRED	180 DAYS SD*
ALL CAUSES	191	7.9	6.1	2.5	11.5	9.8	3.1	13.1	12.8	4.0
CONDITIONS:										
Acute Myocardial Infarction	0									
Congestive Heart Failure	10	40.0	14.5	-----	40.0	23.3	-----	40.0	29.8	-----
Pneumonia/Influenza	10	20.0	14.3	-----	40.0	19.1	-----	40.0	22.5	-----
Chronic Obstructive Pulmonary Disease	2	0.0	7.4	-----	0.0	12.4	-----	0.0	16.0	-----
Transient Cerebral Ischemia	1	0.0	1.0	-----	0.0	2.7	-----	0.0	5.0	-----
Stroke	5	20.0	12.1	-----	20.0	18.7	-----	20.0	22.7	-----
Hip Fracture	13	7.7	5.3	-----	7.7	9.6	-----	7.7	12.8	-----
Sepsis	1	100.0	45.4	-----	100.0	50.6	-----	100.0	55.6	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	0									
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	7	0.0	1.3	-----	0.0	2.6	-----	0.0	3.8	-----
Open Reduction of Hip Fracture	4	0.0	3.1	-----	0.0	6.4	-----	0.0	9.4	-----
Prostatectomy	10	0.0	0.9	-----	0.0	2.0	-----	0.0	3.4	-----
Cholecystectomy	3	0.0	0.5	-----	0.0	0.9	-----	0.0	1.3	-----
Hysterectomy	7	0.0	0.2	-----	0.0	0.5	-----	0.0	1.0	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



ALICE PECK DAY MEMORIAL HOSPITAL

Medicare Provider Number: 300016

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	76.9 years
Proportion female	73.3 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	88.0 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	83.8 %
Admitted for emergency	8.4 %

COMORBIDITIES:

Cancer	5.2 %
Chronic cardiovascular disease	27.7 %
Chronic liver disease	2.1 %
Chronic renal disease	3.7 %
Chronic pulmonary disease	15.7 %
Cerebrovascular degeneration	5.8 %
Diabetes mellitus	7.9 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	59.6%
State	10.0%
Outside State	30.4%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	6.6 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	78
Occupancy Rate	75.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	(Not Available)
Case Mix Index (CMI)	1.1496

STAFFING:

Total Number of Physicians	36
Percent of Physicians Board Certified Specialists	77.8 %
Medical Residents/Interns	0
Registered Nurses	34
Licensed Practical Nurses	6

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	No
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	Yes
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	Yes

** Except for CMI

*** Not used in calculating mortality rates**

ANDROSCOGGIN VALLEY HOSPITAL

PAGE HILL RD
BERLIN, NH 03570
Medicare Provider Number: 300022

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	636	8.5	8.3	1.3	12.4	12.8	1.5	15.1	16.2	1.7
CONDITIONS:										
Acute Myocardial Infarction	28	32.1	21.7	-----	42.9	25.6	-----	42.9	28.8	-----
Congestive Heart Failure	48	10.4	15.0	-----	18.8	23.4	-----	25.0	29.8	-----
Pneumonia/Influenza	31	12.9	15.9	-----	19.4	21.7	-----	19.4	25.9	-----
Chronic Obstructive Pulmonary Disease	10	10.0	5.8	-----	10.0	10.8	-----	10.0	14.9	-----
Transient Cerebral Ischemia	7	0.0	2.1	-----	28.6	4.6	-----	28.6	7.3	-----
Stroke	20	35.0	23.1	-----	45.0	31.3	-----	45.0	35.7	-----
Hip Fracture	20	0.0	6.3	-----	0.0	11.2	-----	0.0	14.4	-----
Sepsis	4	0.0	19.6	-----	0.0	27.4	-----	0.0	32.5	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	3	0.0	2.4	-----	0.0	5.6	-----	0.0	8.7	-----
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	11	0.0	5.0	-----	0.0	9.4	-----	0.0	12.5	-----
Open Reduction of Hip Fracture	10	0.0	5.4	-----	0.0	9.9	-----	0.0	12.8	-----
Prostatectomy	20	0.0	0.4	-----	0.0	1.0	-----	0.0	1.8	-----
Cholecystectomy	12	0.0	3.1	-----	8.3	5.5	-----	8.3	7.0	-----
Hysterectomy	8	0.0	0.5	-----	0.0	1.3	-----	0.0	2.2	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



ANDROSCOGGIN VALLEY HOSPITAL

Medicare Provider Number: 300022

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	75.9 years
Proportion female	58.6 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	21.5 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	7.2 %
Admitted for emergency	5.5 %

COMORBIDITIES:

Cancer	5.8 %
Chronic cardiovascular disease	36.5 %
Chronic liver disease	1.4 %
Chronic renal disease	2.8 %
Chronic pulmonary disease	18.2 %
Cerebrovascular degeneration	7.5 %
Diabetes mellitus	9.0 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	93.7%
State	2.5%
Outside State	3.8%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	7.4 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	92
Occupancy Rate	48.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	51.6 %
Case Mix Index (CMI)	1.1242

STAFFING:

Total Number of Physicians	28
Percent of Physicians Board Certified Specialists	75.0 %
Medical Residents/Interns	0
Registered Nurses	70
Licensed Practical Nurses	24

** Except for CMI

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	Yes
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	Yes

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	Yes
Medicare Swing Beds	Yes

*** Not used in calculating mortality rates**

CATHOLIC MEDICAL CENTER

337 NOTRE DAME AVE
MANCHESTER, NH 03102
Medicare Provider Number: 300034

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	2365	8.4	8.5	0.8	12.7	12.8	0.8	15.4	16.0	0.9
CONDITIONS:										
Acute Myocardial Infarction	122	15.6	19.5	5.4	21.3	23.0	4.6	23.8	26.0	4.5
Congestive Heart Failure	130	18.5	14.6	4.0	30.8	23.3	5.5	38.5	29.5	6.5
Pneumonia/Influenza	72	16.7	17.9	4.9	22.2	24.5	6.6	26.4	28.7	6.3
Chronic Obstructive Pulmonary Disease	30	13.3	10.6	-----	16.7	17.9	-----	20.0	23.2	-----
Transient Cerebral Ischemia	28	0.0	1.8	-----	0.0	4.2	-----	0.0	6.8	-----
Stroke	75	21.3	21.4	4.9	28.0	27.8	5.2	30.7	31.5	5.4
Hip Fracture	46	2.2	6.2	-----	10.9	11.5	-----	10.9	15.2	-----
Sepsis	21	23.8	27.8	-----	38.1	36.5	-----	38.1	41.1	-----
PROCEDURES:										
Angioplasty	83	1.2	2.6	2.3	2.4	3.6	2.5	2.4	4.5	3.2
Coronary Artery Bypass Graft	187	5.9	6.6	2.3	8.6	9.4	2.8	9.1	10.8	3.3
Initial Pacemaker Insertion	14	0.0	2.9	-----	7.1	5.6	-----	7.1	8.2	-----
Carotid Endarterectomy	4	25.0	0.6	-----	25.0	1.2	-----	25.0	1.8	-----
Hip Replacement/Reconstruction	28	0.0	3.3	-----	3.6	6.2	-----	3.6	8.4	-----
Open Reduction of Hip Fracture	25	4.0	5.1	-----	16.0	9.8	-----	16.0	13.4	-----
Prostatectomy	57	1.8	1.0	1.6	3.5	2.3	3.0	5.3	3.9	4.8
Cholecystectomy	35	0.0	2.0	-----	0.0	3.8	-----	2.9	5.3	-----
Hysterectomy	20	0.0	0.4	-----	0.0	0.9	-----	0.0	1.6	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



CATHOLIC MEDICAL CENTER
Medicare Provider Number: 300034

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	73.9 years
Proportion female	58.9 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	38.7 %
Transferred from skilled nursing facility	1.3 %
Admitted for elective procedure	23.9 %
Admitted for emergency	72.2 %

COMORBIDITIES:

Cancer	6.1 %
Chronic cardiovascular disease	38.7 %
Chronic liver disease	1.4 %
Chronic renal disease	4.5 %
Chronic pulmonary disease	20.6 %
Cerebrovascular degeneration	4.2 %
Diabetes mellitus	8.1 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	73.0%
State	21.0%
Outside State	6.0%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	9.2 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	282
Occupancy Rate	72.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	40.6 %
Case Mix Index (CMI)	1.6624

STAFFING:

Total Number of Physicians	150
Percent of Physicians Board Certified Specialists	79.3 %
Medical Residents/Interns	0
Registered Nurses	354
Licensed Practical Nurses	37

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	Yes
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	Yes
Rehabilitation	Yes
Psychiatric	Yes
Medicare Swing Beds	No

** Except for CMI

*** Not used in calculating mortality rates**

CONCORD HOSPITAL

250 PLEASANT ST
CONCORD, NH 03301
Medicare Provider Number: 300001

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	2329	8.1	9.1	0.8	12.5	13.8	1.1	15.2	17.2	1.1
CONDITIONS:										
Acute Myocardial Infarction	88	30.7	28.0	5.9	36.4	31.3	6.8	38.6	34.2	6.3
Congestive Heart Failure	142	9.2	14.4	4.5	16.2	22.7	4.4	21.8	28.7	5.0
Pneumonia/Influenza	114	6.1	13.6	4.6	12.3	18.7	6.3	13.2	22.1	5.6
Chronic Obstructive Pulmonary Disease	39	12.8	10.0	-----	15.4	17.0	-----	25.6	22.1	-----
Transient Cerebral Ischemia	37	0.0	1.6	-----	0.0	3.6	-----	2.7	5.9	-----
Stroke	82	17.1	19.6	5.3	19.5	26.4	7.2	20.7	30.2	8.5
Hip Fracture	77	11.7	6.6	5.7	15.6	11.5	7.7	18.2	14.8	8.8
Sepsis	29	13.8	19.6	-----	13.8	25.7	-----	13.8	29.1	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	25	0.0	2.0	-----	0.0	4.2	-----	4.0	6.6	-----
Carotid Endarterectomy	18	5.6	1.2	-----	5.6	2.1	-----	5.6	3.1	-----
Hip Replacement/Reconstruction	51	11.8	3.8	4.1	13.7	6.9	5.1	17.6	9.2	5.5
Open Reduction of Hip Fracture	30	3.3	6.6	-----	10.0	11.5	-----	16.7	14.7	-----
Prostatectomy	46	2.2	1.1	-----	2.2	2.5	-----	2.2	4.2	-----
Cholecystectomy	54	1.9	2.9	2.4	5.6	5.3	3.5	5.6	7.0	3.7
Hysterectomy	37	2.7	0.3	-----	2.7	0.8	-----	2.7	1.4	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



CONCORD HOSPITAL
Medicare Provider Number: 300001

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	75.5 years
Proportion female	58.2 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	47.0 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	21.8 %
Admitted for emergency	46.9 %

COMORBIDITIES:

Cancer	7.6 %
Chronic cardiovascular disease	34.5 %
Chronic liver disease	1.1 %
Chronic renal disease	3.7 %
Chronic pulmonary disease	12.6 %
Cerebrovascular degeneration	4.8 %
Diabetes mellitus	6.6 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	77.2%
State	18.6%
Outside State	4.2%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	9.4 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	229
Occupancy Rate	81.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	29.8 %
Case Mix Index (CMI)	1.2758

STAFFING:

Total Number of Physicians	181
Percent of Physicians Board Certified Specialists	87.3 %
Medical Residents/Interns	0
Registered Nurses	264
Licensed Practical Nurses	27

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	Yes
Other Intensive Care	No
Trauma Center	Yes

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	Yes
Medicare Swing Beds	No

** Except for CMI

*** Not used in calculating mortality rates**

COTTAGE HOSPITAL

SWIFTWATER RD
WOODSVILLE, NH 03785
Medicare Provider Number: 300028

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	315	13.0	9.8	2.6	19.0	14.8	3.3	20.3	18.6	2.5
CONDITIONS:										
Acute Myocardial Infarction	11	36.4	27.6	-----	45.5	30.8	-----	45.5	34.1	-----
Congestive Heart Failure	16	18.8	13.8	-----	25.0	22.5	-----	25.0	28.9	-----
Pneumonia/Influenza	30	10.0	10.5	-----	23.3	15.8	-----	23.3	18.9	-----
Chronic Obstructive Pulmonary Disease	2	50.0	3.4	-----	50.0	6.4	-----	50.0	8.9	-----
Transient Cerebral Ischemia	5	0.0	2.5	-----	0.0	6.2	-----	0.0	10.2	-----
Stroke	14	28.6	18.7	-----	35.7	24.5	-----	42.9	28.6	-----
Hip Fracture	2	50.0	6.7	-----	100.0	12.0	-----	100.0	17.4	-----
Sepsis	11	27.3	20.1	-----	36.4	26.8	-----	36.4	31.6	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	1	0.0	2.6	-----	100.0	6.3	-----	100.0	11.2	-----
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	0									
Open Reduction of Hip Fracture	0									
Prostatectomy	5	0.0	1.1	-----	0.0	2.9	-----	0.0	5.1	-----
Cholecystectomy	9	0.0	2.2	-----	0.0	3.7	-----	0.0	4.8	-----
Hysterectomy	10	0.0	0.8	-----	0.0	2.1	-----	0.0	3.6	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



COTTAGE HOSPITAL
Medicare Provider Number: 300028

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	77.6 years
Proportion female	58.4 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	88.9 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	15.6 %
Admitted for emergency	7.6 %

COMORBIDITIES:

Cancer	7.0 %
Chronic cardiovascular disease	39.7 %
Chronic liver disease	0.3 %
Chronic renal disease	2.5 %
Chronic pulmonary disease	25.7 %
Cerebrovascular degeneration	7.6 %
Diabetes mellitus	15.9 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	56.0%
State	3.0%
Outside State	41.0%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	5.6 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	48
Occupancy Rate	27.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	64.9 %
Case Mix Index (CMI)	1.1467

STAFFING:

Total Number of Physicians	16
Percent of Physicians Board Certified Specialists	100.0 %
Medical Residents/Interns	0
Registered Nurses	27
Licensed Practical Nurses	10

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	Yes
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	Yes

** Except for CMI

*** Not used in calculating mortality rates**

ELLIOT HOSPITAL

955 AUBURN ST
MANCHESTER, NH 03103
Medicare Provider Number: 300012

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	2034	10.2	9.0	0.9	15.9	14.0	1.0	19.3	17.7	1.1
CONDITIONS:										
Acute Myocardial Infarction	69	29.0	24.9	6.5	34.8	28.7	7.6	37.7	31.5	8.6
Congestive Heart Failure	109	14.7	14.4	3.9	24.8	23.0	4.6	30.3	29.0	4.8
Pneumonia/Influenza	73	16.4	15.7	6.9	21.9	21.1	6.2	24.7	25.0	6.1
Chronic Obstructive Pulmonary Disease	29	10.3	7.4	-----	20.7	12.9	-----	20.7	17.0	-----
Transient Cerebral Ischemia	31	6.5	1.5	-----	12.9	3.4	-----	16.1	5.6	-----
Stroke	66	13.6	19.0	5.9	18.2	25.4	7.7	18.2	28.9	9.2
Hip Fracture	64	6.3	7.1	3.9	10.9	12.8	4.7	14.1	16.7	5.4
Sepsis	25	36.0	25.2	-----	44.0	33.2	-----	52.0	38.0	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	26	0.0	2.5	-----	7.7	4.8	-----	7.7	6.9	-----
Carotid Endarterectomy	8	0.0	1.7	-----	0.0	3.1	-----	0.0	4.5	-----
Hip Replacement/Reconstruction	42	2.4	3.2	-----	2.4	6.0	-----	4.8	8.2	-----
Open Reduction of Hip Fracture	35	5.7	6.4	-----	8.6	11.8	-----	11.4	15.8	-----
Prostatectomy	58	0.0	0.8	1.5	1.7	1.7	1.9	3.4	2.9	2.7
Cholecystectomy	49	2.0	3.2	-----	6.1	5.6	-----	12.2	7.2	-----
Hysterectomy	17	0.0	0.4	-----	0.0	0.9	-----	0.0	1.5	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



ELLIOT HOSPITAL
Medicare Provider Number: 300012

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	74.6 years
Proportion female	57.2 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	44.0 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	23.0 %
Admitted for emergency	53.8 %

COMORBIDITIES:

Cancer	9.5 %
Chronic cardiovascular disease	35.9 %
Chronic liver disease	1.2 %
Chronic renal disease	2.9 %
Chronic pulmonary disease	11.5 %
Cerebrovascular degeneration	6.1 %
Diabetes mellitus	6.6 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	74.7%
State	20.3%
Outside State	5.0%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	9.4 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	302
Occupancy Rate	67.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	29.9 %
Case Mix Index (CMI)	1.2730

STAFFING:

Total Number of Physicians	210
Percent of Physicians Board Certified Specialists	80.5 %
Medical Residents/Interns	0
Registered Nurses	287
Licensed Practical Nurses	14

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	Yes
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	Yes
Trauma Center	Yes

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	Yes
Medicare Swing Beds	No

** Except for CMI

* Not used in calculating mortality rates

EXETER HOSPITAL INC

10 BUZZELL AVENUE
EXETER, NH 03833
Medicare Provider Number: 300023

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	1283	9.4	9.5	0.9	13.3	14.4	1.2	16.8	18.0	1.3
CONDITIONS:										
Acute Myocardial Infarction	65	21.5	28.4	10.7	26.2	31.4	9.9	33.8	34.1	9.4
Congestive Heart Failure	75	13.3	15.6	4.7	17.3	24.9	7.6	25.3	31.3	8.6
Pneumonia/Influenza	50	8.0	14.1	-----	12.0	19.2	-----	22.0	22.8	-----
Chronic Obstructive Pulmonary Disease	21	0.0	6.6	-----	4.8	11.9	-----	4.8	16.6	-----
Transient Cerebral Ischemia	10	0.0	2.5	-----	0.0	5.5	-----	0.0	8.2	-----
Stroke	48	18.7	19.7	-----	20.8	26.5	-----	31.2	30.2	-----
Hip Fracture	51	9.8	7.5	7.9	11.8	13.2	6.7	15.7	17.2	5.8
Sepsis	16	12.5	20.0	-----	25.0	26.7	-----	25.0	30.5	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	8	0.0	4.4	-----	0.0	7.7	-----	12.5	10.2	-----
Carotid Endarterectomy	1	0.0	1.1	-----	0.0	2.2	-----	0.0	3.5	-----
Hip Replacement/Reconstruction	23	13.0	4.3	-----	13.0	7.9	-----	13.0	10.7	-----
Open Reduction of Hip Fracture	34	5.9	6.5	-----	8.8	12.0	-----	8.8	16.0	-----
Prostatectomy	38	0.0	0.7	-----	0.0	1.7	-----	0.0	3.0	-----
Cholecystectomy	26	3.8	2.2	-----	3.8	4.0	-----	3.8	5.4	-----
Hysterectomy	17	0.0	1.1	-----	5.9	2.6	-----	5.9	4.2	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



EXETER HOSPITAL INC
Medicare Provider Number: 300023

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	76.4 years
Proportion female	57.9 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	36.6 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	18.9 %
Admitted for emergency	60.4 %

COMORBIDITIES:

Cancer	9.6 %
Chronic cardiovascular disease	36.6 %
Chronic liver disease	1.2 %
Chronic renal disease	1.9 %
Chronic pulmonary disease	13.6 %
Cerebrovascular degeneration	5.8 %
Diabetes mellitus	7.0 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	86.3%
State	4.9%
Outside State	8.8%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	8.2 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	215
Occupancy Rate	86.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	33.9 %
Case Mix Index (CMI)	1.2229

STAFFING:

Total Number of Physicians	61
Percent of Physicians Board Certified Specialists	83.6 %
Medical Residents/Interns	0
Registered Nurses	117
Licensed Practical Nurses	4

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	Yes

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	Yes

** Except for CMI

*** Not used in calculating mortality rates**

FRANKLIN REGIONAL HOSPITAL

15 AIKEN AVE
FRANKLIN, NH 03235
Medicare Provider Number: 300013

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	445	11.7	9.9	2.2	16.2	15.1	2.2	20.0	18.9	2.2
CONDITIONS:										
Acute Myocardial Infarction	15	33.3	23.9	-----	33.3	26.6	-----	46.7	29.3	-----
Congestive Heart Failure	26	15.4	16.0	-----	19.2	24.7	-----	30.8	30.3	-----
Pneumonia/Influenza	53	13.2	16.2	6.1	18.9	22.7	8.7	26.4	26.7	8.4
Chronic Obstructive Pulmonary Disease	22	9.1	8.8	-----	9.1	15.8	-----	9.1	21.1	-----
Transient Cerebral Ischemia	2	0.0	1.4	-----	0.0	3.0	-----	0.0	5.1	-----
Stroke	18	22.2	15.0	-----	27.8	20.8	-----	27.8	24.0	-----
Hip Fracture	17	5.9	5.6	-----	11.8	10.4	-----	11.8	14.2	-----
Sepsis	14	35.7	28.8	-----	50.0	35.3	-----	57.1	39.9	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	0									
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	9	0.0	3.1	-----	0.0	6.0	-----	0.0	8.6	-----
Open Reduction of Hip Fracture	10	10.0	5.6	-----	20.0	10.9	-----	20.0	15.2	-----
Prostatectomy	0									
Cholecystectomy	4	0.0	2.0	-----	0.0	4.0	-----	0.0	5.8	-----
Hysterectomy	4	0.0	1.3	-----	0.0	3.0	-----	0.0	4.5	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



FRANKLIN REGIONAL HOSPITAL
Medicare Provider Number: 300013

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	76.6 years
Proportion female	62.9 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	29.7 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	1.6 %
Admitted for emergency	0.7 %

COMORBIDITIES:

Cancer	5.6 %
Chronic cardiovascular disease	36.9 %
Chronic liver disease	0.4 %
Chronic renal disease	1.1 %
Chronic pulmonary disease	17.3 %
Cerebrovascular degeneration	11.0 %
Diabetes mellitus	10.3 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	62.5%
State	31.4%
Outside State	6.1%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	7.2 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	49
Occupancy Rate	65.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	40.3 %
Case Mix Index (CMI)	1.2074

STAFFING:

Total Number of Physicians	17
Percent of Physicians Board Certified Specialists	88.2 %
Medical Residents/Interns	0
Registered Nurses	39
Licensed Practical Nurses	12

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	Yes
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	Yes

** Except for CMI

*** Not used in calculating mortality rates**

FRISBIE MEMORIAL HOSPITAL

WHITEHALL RD
ROCHESTER, NH 03867
Medicare Provider Number: 300014

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	792	11.1	9.8	1.4	16.8	14.7	1.8	21.1	18.3	2.0
CONDITIONS:										
Acute Myocardial Infarction	53	32.1	20.9	8.3	35.8	24.1	9.7	35.8	26.7	10.1
Congestive Heart Failure	44	9.1	13.7	-----	29.5	21.6	-----	34.1	27.6	-----
Pneumonia/Influenza	39	15.4	13.8	-----	20.5	19.1	-----	25.6	22.7	-----
Chronic Obstructive Pulmonary Disease	18	5.6	7.5	-----	5.6	13.2	-----	16.7	17.5	-----
Transient Cerebral Ischemia	11	0.0	1.3	-----	0.0	3.0	-----	0.0	5.1	-----
Stroke	33	27.3	19.6	-----	36.4	26.7	-----	42.4	31.2	-----
Hip Fracture	25	4.0	5.5	-----	8.0	10.3	-----	16.0	13.9	-----
Sepsis	6	16.7	26.2	-----	16.7	35.6	-----	33.3	40.8	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	7	0.0	4.9	-----	14.3	9.6	-----	28.6	13.5	-----
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	12	0.0	2.0	-----	8.3	3.8	-----	8.3	5.3	-----
Open Reduction of Hip Fracture	5	20.0	5.5	-----	20.0	10.1	-----	20.0	14.0	-----
Prostatectomy	11	0.0	0.5	-----	0.0	1.1	-----	0.0	1.8	-----
Cholecystectomy	22	0.0	2.6	-----	0.0	4.5	-----	0.0	5.7	-----
Hysterectomy	8	0.0	2.0	-----	0.0	3.8	-----	0.0	5.3	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



FRISBIE MEMORIAL HOSPITAL

Medicare Provider Number: 300014

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	75.8 years
Proportion female	56.8 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	37.5 %
Transferred from skilled nursing facility	0.5 %
Admitted for elective procedure	14.5 %
Admitted for emergency	62.4 %

COMORBIDITIES:

Cancer	7.3 %
Chronic cardiovascular disease	27.1 %
Chronic liver disease	1.1 %
Chronic renal disease	3.0 %
Chronic pulmonary disease	15.0 %
Cerebrovascular degeneration	3.8 %
Diabetes mellitus	7.1 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	81.9%
State	6.9%
Outside State	11.2%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	9.2 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	116
Occupancy Rate	56.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	31.8 %
Case Mix Index (CMI)	1.2726

STAFFING:

Total Number of Physicians	73
Percent of Physicians Board Certified Specialists	72.6 %
Medical Residents/Interns	0
Registered Nurses	132
Licensed Practical Nurses	33

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	Yes
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	Yes
Rehabilitation	No
Psychiatric	Yes
Medicare Swing Beds	No

** Except for CMI

*** Not used in calculating mortality rates**

HUGGINS HOSPITAL

SOUTH MAIN STREET
WOLFEBORO, NH 03894
Medicare Provider Number: 300006

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	549	10.9	8.4	1.7	14.9	12.7	1.8	17.9	15.9	2.0
CONDITIONS:										
Acute Myocardial Infarction	23	17.4	25.1	-----	17.4	28.4	-----	21.7	31.0	-----
Congestive Heart Failure	24	20.8	15.2	-----	25.0	24.1	-----	29.2	30.3	-----
Pneumonia/Influenza	41	14.6	12.7	-----	26.8	17.8	-----	31.7	21.3	-----
Chronic Obstructive Pulmonary Disease	12	16.7	9.2	-----	25.0	16.2	-----	41.7	21.6	-----
Transient Cerebral Ischemia	12	0.0	1.6	-----	0.0	3.5	-----	8.3	5.7	-----
Stroke	21	19.0	13.0	-----	28.6	19.1	-----	33.3	22.8	-----
Hip Fracture	16	0.0	4.5	-----	12.5	8.4	-----	18.8	11.1	-----
Sepsis	5	0.0	19.0	-----	0.0	25.9	-----	0.0	30.3	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	1	0.0	4.1	-----	0.0	11.3	-----	100.0	20.1	-----
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	13	0.0	2.1	-----	0.0	4.0	-----	7.7	5.3	-----
Open Reduction of Hip Fracture	9	0.0	3.8	-----	22.2	7.5	-----	22.2	10.1	-----
Prostatectomy	4	0.0	0.3	-----	0.0	0.8	-----	0.0	1.4	-----
Cholecystectomy	10	0.0	1.5	-----	0.0	2.6	-----	0.0	3.3	-----
Hysterectomy	3	0.0	0.2	-----	0.0	0.6	-----	0.0	1.1	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



HUGGINS HOSPITAL
Medicare Provider Number: 300006

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	76.0 years
Proportion female	56.3 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	57.7 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	21.1 %
Admitted for emergency	13.8 %

COMORBIDITIES:

Cancer	7.3 %
Chronic cardiovascular disease	36.4 %
Chronic liver disease	0.5 %
Chronic renal disease	2.0 %
Chronic pulmonary disease	13.8 %
Cerebrovascular degeneration	4.0 %
Diabetes mellitus	7.3 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	70.8%
State	18.5%
Outside State	10.7%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	6.0 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	68
Occupancy Rate	68.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	54.1 %
Case Mix Index (CMI)	1.1325

STAFFING:

Total Number of Physicians	31
Percent of Physicians Board Certified Specialists	77.4 %
Medical Residents/Interns	(Not Available)
Registered Nurses	(Not Available)
Licensed Practical Nurses	(Not Available)

** Except for CMI

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	Yes

*** Not used in calculating mortality rates**

LAKES REGION GENERAL HOSPITAL

HIGHLAND ST
LACONIA, NH 03246
Medicare Provider Number: 300005

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	1296	11.0	8.3	1.0	14.8	12.7	1.0	17.8	16.1	1.1
CONDITIONS:										
Acute Myocardial Infarction	61	27.9	22.8	5.6	29.5	26.4	5.7	32.8	29.6	5.9
Congestive Heart Failure	68	13.2	13.3	4.1	25.0	21.8	5.3	33.8	28.3	7.0
Pneumonia/Influenza	44	18.2	13.5	-----	20.5	18.6	-----	27.3	22.3	-----
Chronic Obstructive Pulmonary Disease	15	6.7	7.7	-----	13.3	13.5	-----	33.3	18.3	-----
Transient Cerebral Ischemia	17	0.0	1.0	-----	5.9	2.4	-----	5.9	4.0	-----
Stroke	66	22.7	18.0	7.1	27.3	24.4	7.4	28.8	28.3	7.7
Hip Fracture	41	9.8	8.0	-----	17.1	14.9	-----	17.1	19.9	-----
Sepsis	21	23.8	21.8	-----	28.6	28.0	-----	28.6	32.5	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	8	12.5	10.2	-----	25.0	18.1	-----	37.5	22.8	-----
Carotid Endarterectomy	1	0.0	0.9	-----	0.0	1.8	-----	0.0	2.7	-----
Hip Replacement/Reconstruction	33	3.0	3.2	-----	6.1	6.1	-----	6.1	8.2	-----
Open Reduction of Hip Fracture	21	9.5	8.0	-----	14.3	15.4	-----	14.3	20.6	-----
Prostatectomy	55	0.0	0.9	1.5	0.0	2.0	2.6	3.6	3.4	2.6
Cholecystectomy	22	0.0	1.9	-----	0.0	3.3	-----	0.0	4.4	-----
Hysterectomy	14	7.1	0.7	-----	7.1	1.6	-----	7.1	2.7	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



LAKES REGION GENERAL HOSPITAL
Medicare Provider Number: 300005

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	75.1 years
Proportion female	54.6 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	63.3 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	32.9 %
Admitted for emergency	3.0 %

COMORBIDITIES:

Cancer	7.7 %
Chronic cardiovascular disease	40.6 %
Chronic liver disease	1.3 %
Chronic renal disease	3.5 %
Chronic pulmonary disease	16.8 %
Cerebrovascular degeneration	6.1 %
Diabetes mellitus	9.6 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	66.3%
State	27.1%
Outside State	6.6%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	7.7 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	143
Occupancy Rate	57.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	35.1 %
Case Mix Index (CMI)	1.3777

STAFFING:

Total Number of Physicians	96
Percent of Physicians Board Certified Specialists	85.4 %
Medical Residents/Interns	0
Registered Nurses	178
Licensed Practical Nurses	14

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	Yes

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	Yes
Medicare Swing Beds	No

** Except for CMI

*** Not used in calculating mortality rates**

LITTLETON HOSPITAL

107 COTTAGE ST
LITTLETON, NH 03561
Medicare Provider Number: 300008

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	396	11.1	10.9	1.9	15.7	15.4	2.5	16.9	18.9	2.6
CONDITIONS:										
Acute Myocardial Infarction	21	23.8	35.2	-----	28.6	38.0	-----	33.3	41.3	-----
Congestive Heart Failure	22	4.5	15.3	-----	13.6	23.3	-----	13.6	29.3	-----
Pneumonia/Influenza	31	19.4	15.4	-----	19.4	20.9	-----	19.4	24.8	-----
Chronic Obstructive Pulmonary Disease	7	0.0	7.0	-----	14.3	12.1	-----	14.3	16.3	-----
Transient Cerebral Ischemia	4	0.0	1.1	-----	0.0	2.6	-----	0.0	4.3	-----
Stroke	20	40.0	20.3	-----	40.0	27.7	-----	40.0	32.2	-----
Hip Fracture	16	0.0	4.3	-----	6.3	8.0	-----	12.5	10.8	-----
Sepsis	4	25.0	21.1	-----	25.0	27.2	-----	25.0	31.1	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	5	40.0	4.7	-----	40.0	9.5	-----	40.0	14.2	-----
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	5	0.0	2.7	-----	0.0	5.3	-----	0.0	7.5	-----
Open Reduction of Hip Fracture	13	0.0	3.4	-----	0.0	6.7	-----	7.7	9.2	-----
Prostatectomy	15	0.0	0.7	-----	0.0	1.5	-----	0.0	2.7	-----
Cholecystectomy	6	0.0	1.8	-----	0.0	3.5	-----	0.0	4.6	-----
Hysterectomy	6	0.0	0.1	-----	0.0	0.3	-----	0.0	0.6	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



LITTLETON HOSPITAL
Medicare Provider Number: 300008

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	75.5 years
Proportion female	56.6 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	37.1 %
Transferred from skilled nursing facility	0.3 %
Admitted for elective procedure	20.2 %
Admitted for emergency	56.8 %

COMORBIDITIES:

Cancer	7.1 %
Chronic cardiovascular disease	34.3 %
Chronic liver disease	1.0 %
Chronic renal disease	3.5 %
Chronic pulmonary disease	15.4 %
Cerebrovascular degeneration	7.1 %
Diabetes mellitus	11.9 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	74.4%
State	13.5%
Outside State	12.1%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	6.6 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	52
Occupancy Rate	51.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	36.5 %
Case Mix Index (CMI)	1.1914

STAFFING:

Total Number of Physicians	24
Percent of Physicians Board Certified Specialists	83.3 %
Medical Residents/Interns	0
Registered Nurses	55
Licensed Practical Nurses	12

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	Yes
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	Yes

** Except for CMI

*** Not used in calculating mortality rates**

MARY HITCHCOCK MEMORIAL HOSPITAL

1 MEDICAL CENTER DRIVE
HANOVER, NH 03756
Medicare Provider Number: 300003

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%) 30 DAYS OBS	30 DAYS PRED	30 DAYS SD*	90 DAYS OBS	90 DAYS PRED	90 DAYS SD*	180 DAYS OBS	180 DAYS PRED	180 DAYS SD*
ALL CAUSES	2386	8.1	8.5	1.0	13.0	13.5	1.3	16.6	17.0	1.3
CONDITIONS:										
Acute Myocardial Infarction	55	29.1	29.7	6.7	30.9	32.4	6.4	32.7	34.7	6.6
Congestive Heart Failure	55	10.9	13.9	5.7	14.5	22.0	8.2	23.6	27.9	8.1
Pneumonia/Influenza	45	22.2	15.4	-----	33.3	21.7	-----	35.6	26.0	-----
Chronic Obstructive Pulmonary Disease	24	20.8	10.3	-----	33.3	17.4	-----	41.7	22.1	-----
Transient Cerebral Ischemia	26	0.0	1.8	-----	3.8	3.7	-----	7.7	5.6	-----
Stroke	54	13.0	17.7	5.7	16.7	23.3	6.7	16.7	26.9	7.6
Hip Fracture	43	7.0	5.6	-----	14.0	9.7	-----	16.3	12.6	-----
Sepsis	6	0.0	27.6	-----	0.0	37.1	-----	0.0	43.1	-----
PROCEDURES:										
Angioplasty	63	3.2	2.3	2.2	3.2	3.3	2.5	3.2	4.3	3.1
Coronary Artery Bypass Graft	95	6.3	6.4	4.1	8.4	9.5	4.2	8.4	10.8	4.1
Initial Pacemaker Insertion	19	0.0	2.7	-----	0.0	5.3	-----	0.0	7.8	-----
Carotid Endarterectomy	23	0.0	1.4	-----	0.0	2.7	-----	0.0	3.9	-----
Hip Replacement/Reconstruction	77	1.3	1.8	2.2	3.9	3.6	3.0	6.5	5.2	3.2
Open Reduction of Hip Fracture	24	12.5	5.5	-----	20.8	9.7	-----	20.8	12.9	-----
Prostatectomy	51	2.0	0.6	2.1	2.0	1.4	3.2	3.9	2.5	3.3
Cholecystectomy	39	2.6	5.5	-----	2.6	11.0	-----	2.6	15.5	-----
Hysterectomy	33	6.1	0.5	-----	6.1	1.3	-----	6.1	2.2	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



MARY HITCHCOCK MEMORIAL HOSPITAL
Medicare Provider Number: 300003

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	72.2 years
Proportion female	50.5 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	58.4 %
Transferred from skilled nursing facility	0.6 %
Admitted for elective procedure	33.5 %
Admitted for emergency	51.9 %

COMORBIDITIES:

Cancer	11.7 %
Chronic cardiovascular disease	37.3 %
Chronic liver disease	1.0 %
Chronic renal disease	3.4 %
Chronic pulmonary disease	10.8 %
Cerebrovascular degeneration	2.2 %
Diabetes mellitus	5.5 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	18.7%
State	28.5%
Outside State	52.8%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	10.3 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	376
Occupancy Rate	80.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	29.3 %
Case Mix Index (CMI)	1.8162

STAFFING:

Total Number of Physicians	281
Percent of Physicians Board Certified Specialists	91.1 %
Medical Residents/Interns	237
Registered Nurses	640
Licensed Practical Nurses	42

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	Yes
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	Yes
Medicare Swing Beds	No

** Except for CMI

*** Not used in calculating mortality rates**

MONADNOCK COMMUNITY HOSPITAL

OLD STREET ROAD
PETERBOROUGH, NH 03458
Medicare Provider Number: 300007

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	472	11.9	9.5	2.3	16.5	14.3	2.6	20.3	17.9	2.6
CONDITIONS:										
Acute Myocardial Infarction	19	52.6	28.7	-----	52.6	33.1	-----	52.6	36.6	-----
Congestive Heart Failure	24	25.0	13.9	-----	37.5	21.9	-----	45.8	27.9	-----
Pneumonia/Influenza	15	20.0	15.8	-----	26.7	22.9	-----	33.3	26.7	-----
Chronic Obstructive Pulmonary Disease	17	11.8	8.8	-----	11.8	14.9	-----	17.6	19.6	-----
Transient Cerebral Ischemia	10	0.0	1.4	-----	0.0	3.3	-----	0.0	5.5	-----
Stroke	19	26.3	23.0	-----	31.6	29.1	-----	42.1	32.8	-----
Hip Fracture	22	0.0	6.1	-----	13.6	11.2	-----	13.6	14.9	-----
Sepsis	6	0.0	17.9	-----	0.0	25.5	-----	0.0	30.2	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	0									
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	19	5.3	4.1	-----	10.5	7.9	-----	10.5	10.8	-----
Open Reduction of Hip Fracture	9	0.0	6.1	-----	22.2	11.8	-----	22.2	16.0	-----
Prostatectomy	11	0.0	1.0	-----	0.0	2.4	-----	9.1	4.2	-----
Cholecystectomy	5	0.0	1.3	-----	0.0	2.3	-----	0.0	3.4	-----
Hysterectomy	4	0.0	0.1	-----	0.0	0.3	-----	0.0	0.6	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



MONADNOCK COMMUNITY HOSPITAL

Medicare Provider Number: 300007

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	77.2 years
Proportion female	59.3 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	66.5 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	13.1 %
Admitted for emergency	26.7 %

COMORBIDITIES:

Cancer	6.8 %
Chronic cardiovascular disease	34.7 %
Chronic liver disease	1.7 %
Chronic renal disease	2.5 %
Chronic pulmonary disease	15.0 %
Cerebrovascular degeneration	7.2 %
Diabetes mellitus	4.9 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	62.9%
State	31.8%
Outside State	5.3%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	6.6 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	60
Occupancy Rate	45.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	48.7 %
Case Mix Index (CMI)	1.1580

STAFFING:

Total Number of Physicians	33
Percent of Physicians Board Certified Specialists	87.9 %
Medical Residents/Interns	0
Registered Nurses	73
Licensed Practical Nurses	13

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	Yes
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	Yes

** Except for CMI

*** Not used in calculating mortality rates**

NASHUA MEMORIAL HOSPITAL

8 PROSPECT STREET
NASHUA, NH 03060
Medicare Provider Number: 300020

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	1191	10.1	10.0	1.0	14.7	15.0	1.2	18.6	18.6	1.4
CONDITIONS:										
Acute Myocardial Infarction	59	25.4	28.6	7.8	28.8	31.5	8.3	28.8	34.2	9.4
Congestive Heart Failure	77	16.9	15.9	5.8	26.0	25.0	6.4	32.5	31.8	6.6
Pneumonia/Influenza	47	2.1	15.9	-----	10.6	21.9	-----	14.9	25.6	-----
Chronic Obstructive Pulmonary Disease	18	5.6	8.3	-----	16.7	14.5	-----	22.2	18.8	-----
Transient Cerebral Ischemia	13	0.0	1.5	-----	0.0	3.5	-----	15.4	5.7	-----
Stroke	59	23.7	17.9	6.0	27.1	24.2	5.8	28.8	28.0	5.9
Hip Fracture	27	7.4	7.0	-----	18.5	12.7	-----	29.6	16.7	-----
Sepsis	11	45.5	30.0	-----	63.6	34.4	-----	63.6	37.5	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	9	0.0	3.2	-----	0.0	6.2	-----	0.0	8.9	-----
Carotid Endarterectomy	1	0.0	3.1	-----	0.0	5.5	-----	0.0	8.7	-----
Hip Replacement/Reconstruction	19	10.5	5.0	-----	10.5	8.9	-----	15.8	11.5	-----
Open Reduction of Hip Fracture	14	0.0	6.1	-----	21.4	11.3	-----	35.7	15.4	-----
Prostatectomy	35	0.0	1.0	-----	0.0	2.2	-----	0.0	3.6	-----
Cholecystectomy	21	9.5	1.7	-----	9.5	2.9	-----	9.5	3.7	-----
Hysterectomy	5	0.0	0.7	-----	0.0	1.5	-----	0.0	2.4	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



NASHUA MEMORIAL HOSPITAL

Medicare Provider Number: 300020

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	73.8 years
Proportion female	55.8 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	14.0 %
Transferred from skilled nursing facility	0.2 %
Admitted for elective procedure	13.8 %
Admitted for emergency	56.2 %

COMORBIDITIES:

Cancer	8.1 %
Chronic cardiovascular disease	39.0 %
Chronic liver disease	1.3 %
Chronic renal disease	3.1 %
Chronic pulmonary disease	17.5 %
Cerebrovascular degeneration	6.3 %
Diabetes mellitus	8.3 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	88.1%
State	4.9%
Outside State	7.0%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	8.5 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	177
Occupancy Rate	67.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	24.3 %
Case Mix Index (CMI)	1.1672

STAFFING:

Total Number of Physicians	279
Percent of Physicians Board Certified Specialists	78.1 %
Medical Residents/Interns	0
Registered Nurses	230
Licensed Practical Nurses	19

** Except for CMI

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	Yes
Medicare Swing Beds	No

*** Not used in calculating mortality rates**

NEW LONDON HOSPITAL ASSOCIATION INC

COUNTY ROAD
NEW LONDON, NH 03257
Medicare Provider Number: 300009

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	412	9.2	10.3	1.6	12.9	15.7	2.4	18.2	19.5	2.9
CONDITIONS:										
Acute Myocardial Infarction	13	30.8	27.4	-----	30.8	30.0	-----	30.8	32.4	-----
Congestive Heart Failure	18	11.1	14.1	-----	22.2	21.5	-----	27.8	28.4	-----
Pneumonia/Influenza	35	8.6	15.6	-----	11.4	21.7	-----	22.9	25.4	-----
Chronic Obstructive Pulmonary Disease	5	0.0	17.0	-----	0.0	28.7	-----	20.0	35.9	-----
Transient Cerebral Ischemia	4	0.0	1.3	-----	0.0	2.8	-----	0.0	4.2	-----
Stroke	16	25.0	23.5	-----	25.0	30.1	-----	25.0	34.0	-----
Hip Fracture	11	0.0	8.3	-----	9.1	13.9	-----	9.1	17.2	-----
Sepsis	2	0.0	26.5	-----	0.0	38.1	-----	50.0	46.0	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	0									
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	5	0.0	1.8	-----	0.0	3.5	-----	0.0	5.3	-----
Open Reduction of Hip Fracture	5	0.0	7.1	-----	20.0	13.4	-----	20.0	17.2	-----
Prostatectomy	0									
Cholecystectomy	15	0.0	2.3	-----	0.0	3.9	-----	0.0	4.8	-----
Hysterectomy	1	0.0	1.1	-----	0.0	2.2	-----	0.0	3.0	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



NEW LONDON HOSPITAL ASSOCIATION INC

Medicare Provider Number: 300009

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	77.3 years
Proportion female	65.3 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	32.8 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	9.7 %
Admitted for emergency	64.8 %

COMORBIDITIES:

Cancer	10.2 %
Chronic cardiovascular disease	39.3 %
Chronic liver disease	1.2 %
Chronic renal disease	1.0 %
Chronic pulmonary disease	14.8 %
Cerebrovascular degeneration	6.6 %
Diabetes mellitus	7.3 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	57.5%
State	35.0%
Outside State	7.5%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	5.8 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	88
Occupancy Rate	73.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	56.9 %
Case Mix Index (CMI)	1.1616

STAFFING:

Total Number of Physicians	24
Percent of Physicians Board Certified Specialists	83.3 %
Medical Residents/Interns	0
Registered Nurses	50
Licensed Practical Nurses	4

** Except for CMI

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	Yes
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	Yes

*** Not used in calculating mortality rates**

NEWPORT HOSPITAL

167 SUMMER ST
NEWPORT, NH 03773
Medicare Provider Number: 300002

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	78	10.3	10.0	3.5	12.8	16.4	5.2	16.7	20.3	6.7
CONDITIONS:										
Acute Myocardial Infarction	0									
Congestive Heart Failure	3	0.0	14.4	-----	0.0	22.9	-----	0.0	28.0	-----
Pneumonia/Influenza	5	20.0	14.3	-----	20.0	21.0	-----	40.0	25.5	-----
Chronic Obstructive Pulmonary Disease	5	0.0	10.4	-----	0.0	16.9	-----	0.0	20.8	-----
Transient Cerebral Ischemia	1	0.0	1.2	-----	0.0	2.9	-----	0.0	4.8	-----
Stroke	2	0.0	20.9	-----	50.0	36.6	-----	50.0	45.7	-----
Hip Fracture	1	0.0	5.5	-----	0.0	10.0	-----	0.0	13.0	-----
Sepsis	0									
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	0									
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	1	0.0	5.2	-----	0.0	12.9	-----	0.0	20.7	-----
Open Reduction of Hip Fracture	0									
Prostatectomy	0									
Cholecystectomy	2	0.0	2.6	-----	0.0	4.6	-----	0.0	5.8	-----
Hysterectomy	0									

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



NEWPORT HOSPITAL
Medicare Provider Number: 300002

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	75.9 years
Proportion female	64.1 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	17.9 %
Transferred from skilled nursing facility	1.3 %
Admitted for elective procedure	6.4 %
Admitted for emergency	0.0 %

COMORBIDITIES:

Cancer	10.3 %
Chronic cardiovascular disease	29.5 %
Chronic liver disease	2.6 %
Chronic renal disease	3.8 %
Chronic pulmonary disease	20.5 %
Cerebrovascular degeneration	10.3 %
Diabetes mellitus	7.7 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	87.8%
State	8.4%
Outside State	3.8%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	6.9 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: Health Care Financing Administration (OSCAR)** - Survey Year 1990

PROFILE:

Total Beds	27
Ownership.Control	Private, Non-Profit
Case Mix Index (CMI)	1.1132

STAFFING:

Medical Residents/Interns	3
Registered Nurses	8
Licensed Practical Nurses	6

SPECIALTY SERVICES:

Burn Unit	No
Coronary Care Unit	No
Hospice Care	Yes
Intensive Care Unit	No
Organ Transplant	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	Yes
Rehabilitation	Yes
Psychiatric	Yes
Medicare Swing Beds	No

** Except for CMI

* Not used in calculating mortality rates

PARKLAND MEDICAL CENTER

1 PARKLAND DRIVE
DERRY, NH 03038
Medicare Provider Number: 300017

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	600	9.8	9.1	1.4	13.8	13.9	1.8	16.3	17.4	1.8
CONDITIONS:										
Acute Myocardial Infarction	25	20.0	17.9	-----	20.0	21.0	-----	24.0	23.8	-----
Congestive Heart Failure	43	11.6	15.6	-----	25.6	24.9	-----	30.2	31.3	-----
Pneumonia/Influenza	33	18.2	16.0	-----	21.2	21.4	-----	24.2	25.2	-----
Chronic Obstructive Pulmonary Disease	15	6.7	7.8	-----	13.3	13.9	-----	20.0	18.2	-----
Transient Cerebral Ischemia	9	11.1	1.7	-----	11.1	3.7	-----	11.1	5.8	-----
Stroke	21	23.8	25.0	-----	28.6	31.2	-----	28.6	34.4	-----
Hip Fracture	21	9.5	4.8	-----	9.5	9.2	-----	14.3	12.5	-----
Sepsis	3	0.0	26.0	-----	0.0	35.2	-----	0.0	41.9	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	3	0.0	1.3	-----	0.0	3.0	-----	0.0	4.6	-----
Carotid Endarterectomy	3	0.0	1.3	-----	0.0	2.3	-----	0.0	3.1	-----
Hip Replacement/Reconstruction	11	0.0	1.9	-----	0.0	3.8	-----	0.0	5.4	-----
Open Reduction of Hip Fracture	14	7.1	4.5	-----	7.1	9.1	-----	14.3	12.7	-----
Prostatectomy	17	0.0	1.3	-----	0.0	3.1	-----	0.0	5.1	-----
Cholecystectomy	12	8.3	2.9	-----	8.3	5.1	-----	8.3	6.4	-----
Hysterectomy	5	0.0	0.1	-----	0.0	0.2	-----	0.0	0.3	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



PARKLAND MEDICAL CENTER

Medicare Provider Number: 300017

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	75.3 years
Proportion female	59.8 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	29.7 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	12.8 %
Admitted for emergency	65.2 %

COMORBIDITIES:

Cancer	7.8 %
Chronic cardiovascular disease	38.3 %
Chronic liver disease	0.8 %
Chronic renal disease	2.2 %
Chronic pulmonary disease	21.8 %
Cerebrovascular degeneration	3.5 %
Diabetes mellitus	7.5 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	81.2%
State	7.4%
Outside State	11.4%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	7.0 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	83
Occupancy Rate	54.0 %
Ownership/Control	Private, For Profit
Medicare Discharges	25.7 %
Case Mix Index (CMI)	1.1355

STAFFING:

Total Number of Physicians	75
Percent of Physicians Board Certified Specialists	96.0 %
Medical Residents/Interns	0
Registered Nurses	99
Licensed Practical Nurses	6

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	No

** Except for CMI

*** Not used in calculating mortality rates**

PORTSMOUTH REGIONAL HOSPITAL

333-343 BORTHWICK AVE, BOX 7004
PORTSMOUTH, NH 03801
Medicare Provider Number: 300029

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	1271	9.4	8.5	1.0	12.4	12.9	1.1	16.5	16.1	1.1
CONDITIONS:										
Acute Myocardial Infarction	40	25.0	23.9	-----	27.5	26.5	-----	27.5	28.9	-----
Congestive Heart Failure	59	11.9	13.8	5.0	16.9	21.3	7.6	23.7	26.8	8.5
Pneumonia/Influenza	50	20.0	14.8	-----	26.0	20.4	-----	30.0	24.2	-----
Chronic Obstructive Pulmonary Disease	23	17.4	7.8	-----	17.4	13.9	-----	17.4	18.3	-----
Transient Cerebral Ischemia	13	7.7	1.4	-----	7.7	2.9	-----	7.7	4.7	-----
Stroke	27	29.6	23.3	-----	33.3	30.0	-----	37.0	34.2	-----
Hip Fracture	41	17.1	6.5	-----	22.0	11.6	-----	22.0	15.0	-----
Sepsis	16	18.8	19.4	-----	18.8	26.0	-----	18.8	30.3	-----
PROCEDURES:										
Angioplasty	4	25.0	8.6	-----	25.0	9.3	-----	25.0	10.0	-----
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	11	9.1	3.8	-----	9.1	6.9	-----	9.1	9.6	-----
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	34	11.8	3.1	-----	14.7	5.6	-----	17.6	7.4	-----
Open Reduction of Hip Fracture	25	16.0	5.3	-----	20.0	9.6	-----	20.0	12.6	-----
Prostatectomy	41	0.0	0.8	-----	0.0	1.9	-----	0.0	3.4	-----
Cholecystectomy	22	0.0	3.3	-----	4.5	5.6	-----	9.1	6.9	-----
Hysterectomy	10	0.0	0.4	-----	0.0	0.9	-----	20.0	1.5	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



PORTSMOUTH REGIONAL HOSPITAL
Medicare Provider Number: 300029

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	74.6 years
Proportion female	54.8 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	29.4 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	22.3 %
Admitted for emergency	75.3 %

COMORBIDITIES:

Cancer	7.9 %
Chronic cardiovascular disease	29.9 %
Chronic liver disease	1.3 %
Chronic renal disease	2.0 %
Chronic pulmonary disease	11.5 %
Cerebrovascular degeneration	4.6 %
Diabetes mellitus	6.5 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	73.9%
State	7.7%
Outside State	18.4%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	7.2 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: Health Care Financing Administration (OSCAR)** - Survey Year 1991

PROFILE:

Total Beds	144
Ownership.Control	Private, Non-Profit
Case Mix Index (CMI)	1.2741

STAFFING:

Medical Residents/Interns	0
Registered Nurses	162
Licensed Practical Nurses	18

SPECIALTY SERVICES:

Burn Unit	No
Coronary Care Unit	Yes
Hospice Care	No
Intensive Care Unit	Yes
Organ Transplant	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	Yes
Psychiatric	Yes
Medicare Swing Beds	No

** Except for CMI

*** Not used in calculating mortality rates**

SPEARE MEMORIAL HOSPITAL

HOSPITAL RD
PLYMOUTH, NH 03264
Medicare Provider Number: 300010

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	286	7.7	8.9	2.2	10.8	13.8	2.8	13.3	17.5	3.4
CONDITIONS:										
Acute Myocardial Infarction	14	28.6	19.0	-----	28.6	22.1	-----	28.6	25.1	-----
Congestive Heart Failure	13	15.4	16.9	-----	23.1	27.1	-----	23.1	33.7	-----
Pneumonia/Influenza	16	6.3	14.4	-----	18.8	20.9	-----	18.8	25.1	-----
Chronic Obstructive Pulmonary Disease	10	10.0	9.2	-----	10.0	16.6	-----	10.0	22.0	-----
Transient Cerebral Ischemia	5	0.0	2.4	-----	0.0	5.5	-----	20.0	9.1	-----
Stroke	10	10.0	16.6	-----	20.0	22.4	-----	30.0	26.1	-----
Hip Fracture	9	11.1	7.1	-----	11.1	12.6	-----	11.1	16.5	-----
Sepsis	3	0.0	15.5	-----	0.0	25.7	-----	33.3	31.5	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	0									
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	3	0.0	1.2	-----	0.0	2.6	-----	0.0	3.5	-----
Open Reduction of Hip Fracture	7	14.3	7.4	-----	14.3	13.5	-----	14.3	17.8	-----
Prostatectomy	0									
Cholecystectomy	4	0.0	0.7	-----	0.0	1.4	-----	0.0	2.0	-----
Hysterectomy	3	0.0	1.4	-----	0.0	2.7	-----	0.0	4.0	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



SPEARE MEMORIAL HOSPITAL
Medicare Provider Number: 300010

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	76.1 years
Proportion female	61.2 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	26.6 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	8.0 %
Admitted for emergency	24.1 %

COMORBIDITIES:

Cancer	5.9 %
Chronic cardiovascular disease	38.5 %
Chronic liver disease	0.7 %
Chronic renal disease	4.2 %
Chronic pulmonary disease	16.4 %
Cerebrovascular degeneration	9.1 %
Diabetes mellitus	10.1 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	81.3%
State	9.8%
Outside State	8.9%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	5.4 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	47
Occupancy Rate	31.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	41.6 %
Case Mix Index (CMI)	1.2519

STAFFING:

Total Number of Physicians	19
Percent of Physicians Board Certified Specialists	89.5 %
Medical Residents/Interns	0
Registered Nurses	37
Licensed Practical Nurses	3

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	Yes

** Except for CMI

* Not used in calculating mortality rates

ST JOSEPH HOSPITAL

172 KINSLEY ST
NASHUA, NH 03060
Medicare Provider Number: 300011

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	1260	8.8	8.6	0.9	13.4	13.0	1.0	16.3	16.3	1.1
CONDITIONS:										
Acute Myocardial Infarction	60	16.7	26.0	7.3	21.7	29.1	6.9	25.0	31.7	7.0
Congestive Heart Failure	56	10.7	13.8	5.2	19.6	22.3	7.3	25.0	27.9	6.3
Pneumonia/Influenza	35	11.4	16.6	-----	17.1	23.0	-----	17.1	26.8	-----
Chronic Obstructive Pulmonary Disease	29	6.9	8.9	-----	13.8	15.6	-----	24.1	20.6	-----
Transient Cerebral Ischemia	23	4.3	1.6	-----	4.3	3.8	-----	4.3	6.6	-----
Stroke	57	21.1	19.6	5.3	22.8	26.1	6.0	26.3	30.1	6.4
Hip Fracture	27	7.4	5.8	-----	14.8	10.3	-----	18.5	13.3	-----
Sepsis	9	22.2	19.5	-----	22.2	26.9	-----	44.4	31.3	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	9	22.2	3.0	-----	22.2	5.2	-----	22.2	7.0	-----
Carotid Endarterectomy	3	0.0	1.3	-----	0.0	2.4	-----	0.0	3.6	-----
Hip Replacement/Reconstruction	19	10.5	3.5	-----	10.5	7.0	-----	10.5	9.8	-----
Open Reduction of Hip Fracture	11	0.0	6.5	-----	9.1	11.6	-----	9.1	14.8	-----
Prostatectomy	51	0.0	1.2	2.2	0.0	2.8	3.6	5.9	4.7	3.6
Cholecystectomy	24	4.2	2.1	-----	8.3	3.9	-----	8.3	5.4	-----
Hysterectomy	14	0.0	0.5	-----	0.0	1.0	-----	0.0	1.6	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



ST JOSEPH HOSPITAL
Medicare Provider Number: 300011

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	73.9 years
Proportion female	57.1 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	31.7 %
Transferred from skilled nursing facility	0.5 %
Admitted for elective procedure	15.0 %
Admitted for emergency	12.2 %

COMORBIDITIES:

Cancer	8.3 %
Chronic cardiovascular disease	34.3 %
Chronic liver disease	1.6 %
Chronic renal disease	2.6 %
Chronic pulmonary disease	16.8 %
Cerebrovascular degeneration	5.6 %
Diabetes mellitus	7.9 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	89.4%
State	2.5%
Outside State	8.1%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	10.6 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	218
Occupancy Rate	59.0 %
Ownership/Control	Church
Medicare Discharges	28.1 %
Case Mix Index (CMI)	1.1968

STAFFING:

Total Number of Physicians	147
Percent of Physicians Board Certified Specialists	70.1 %
Medical Residents/Interns	0
Registered Nurses	183
Licensed Practical Nurses	58

** Except for CMI

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	Yes
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	Yes

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	Yes
Rehabilitation	Yes
Psychiatric	No
Medicare Swing Beds	No

*** Not used in calculating mortality rates**

THE CHESHIRE MEDICAL CENTER

580 COURT STREET
KEENE, NH 03431
Medicare Provider Number: 300019

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	1381	10.3	9.6	0.9	14.5	14.3	1.0	18.2	17.8	1.1
CONDITIONS:										
Acute Myocardial Infarction	65	29.2	25.3	9.3	33.8	28.3	8.6	36.9	31.1	8.5
Congestive Heart Failure	60	18.3	14.9	5.4	26.7	23.7	6.2	36.7	30.0	8.1
Pneumonia/Influenza	105	17.1	16.0	3.8	22.9	22.2	4.2	28.6	26.1	4.8
Chronic Obstructive Pulmonary Disease	26	7.7	8.4	-----	15.4	14.8	-----	23.1	19.1	-----
Transient Cerebral Ischemia	9	11.1	2.5	-----	33.3	6.1	-----	33.3	10.0	-----
Stroke	64	23.4	20.9	5.5	32.8	27.8	8.4	37.5	31.6	9.4
Hip Fracture	52	3.8	6.1	3.8	7.7	11.0	4.7	11.5	14.5	5.7
Sepsis	16	31.3	27.3	-----	31.3	35.7	-----	37.5	40.7	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	12	0.0	0.9	-----	0.0	2.0	-----	0.0	3.4	-----
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	31	0.0	3.0	-----	0.0	6.0	-----	0.0	8.4	-----
Open Reduction of Hip Fracture	16	0.0	6.4	-----	6.3	11.7	-----	6.3	15.7	-----
Prostatectomy	70	1.4	0.7	1.3	2.9	1.7	2.1	2.9	2.9	2.9
Cholecystectomy	20	0.0	2.0	-----	5.0	4.2	-----	5.0	6.3	-----
Hysterectomy	17	0.0	0.4	-----	0.0	1.0	-----	0.0	1.7	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



THE CHESHIRE MEDICAL CENTER
Medicare Provider Number: 300019

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	75.7 years
Proportion female	56.6 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	37.2 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	21.7 %
Admitted for emergency	73.1 %

COMORBIDITIES:

Cancer	7.8 %
Chronic cardiovascular disease	29.5 %
Chronic liver disease	1.2 %
Chronic renal disease	1.7 %
Chronic pulmonary disease	13.5 %
Cerebrovascular degeneration	4.9 %
Diabetes mellitus	8.3 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	87.0%
State	4.2%
Outside State	8.8%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	8.8 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	173
Occupancy Rate	67.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	36.6 %
Case Mix Index (CMI)	1.1693

STAFFING:

Total Number of Physicians	79
Percent of Physicians Board Certified Specialists	81.0 %
Medical Residents/Interns	0
Registered Nurses	167
Licensed Practical Nurses	26

** Except for CMI

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care .	No
Trauma Center	Yes

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	Yes
Psychiatric	Yes
Medicare Swing Beds	No

*** Not used in calculating mortality rates**

THE MEMORIAL HOSPITAL

INTERVALE ROAD
NORTH CONWAY, NH 03860
Medicare Provider Number: 300015

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	260	9.2	7.9	2.1	13.1	12.0	2.2	15.0	15.2	2.5
CONDITIONS:										
Acute Myocardial Infarction	6	33.3	18.6	-----	33.3	20.3	-----	33.3	22.1	-----
Congestive Heart Failure	16	12.5	15.4	-----	18.8	23.3	-----	18.8	29.5	-----
Pneumonia/Influenza	15	6.7	13.6	-----	6.7	18.8	-----	6.7	21.9	-----
Chronic Obstructive Pulmonary Disease	5	0.0	6.9	-----	0.0	11.9	-----	0.0	15.7	-----
Transient Cerebral Ischemia	4	0.0	1.4	-----	0.0	3.5	-----	25.0	5.8	-----
Stroke	10	30.0	26.0	-----	40.0	33.2	-----	50.0	37.3	-----
Hip Fracture	12	0.0	5.0	-----	8.3	9.4	-----	8.3	12.7	-----
Sepsis	1	100.0	21.3	-----	100.0	26.1	-----	100.0	29.4	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	0									
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	9	0.0	3.1	-----	0.0	5.9	-----	0.0	8.2	-----
Open Reduction of Hip Fracture	3	0.0	4.2	-----	0.0	8.2	-----	0.0	11.1	-----
Prostatectomy	0									
Cholecystectomy	7	0.0	1.0	-----	0.0	1.9	-----	0.0	2.7	-----
Hysterectomy	3	0.0	0.1	-----	0.0	0.2	-----	0.0	0.4	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



THE MEMORIAL HOSPITAL
Medicare Provider Number: 300015

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	75.2 years
Proportion female	63.1 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	33.8 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	0.4 %
Admitted for emergency	59.6 %

COMORBIDITIES:

Cancer	5.4 %
Chronic cardiovascular disease	15.4 %
Chronic liver disease	1.9 %
Chronic renal disease	0.8 %
Chronic pulmonary disease	9.2 %
Cerebrovascular degeneration	3.8 %
Diabetes mellitus	3.8 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	70.8%
State	4.1%
Outside State	25.1%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	6.0 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	56
Occupancy Rate	67.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	29.3 %
Case Mix Index (CMI)	1.0353

STAFFING:

Total Number of Physicians	20
Percent of Physicians Board Certified Specialists	95.0 %
Medical Residents/Interns	0
Registered Nurses	40
Licensed Practical Nurses	4

** Except for CMI

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	Yes
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	Yes

*** Not used in calculating mortality rates**

UPPER CONNECTICUT VALLEY HOSPITAL

CORLISS LN
COLEBROOK, NH 03576
Medicare Provider Number: 300033

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	221	9.0	10.2	2.7	16.3	15.6	4.3	18.6	19.5	3.3
CONDITIONS:										
Acute Myocardial Infarction	11	18.2	21.6	-----	27.3	24.0	-----	27.3	26.5	-----
Congestive Heart Failure	7	0.0	17.7	-----	14.3	26.4	-----	14.3	32.7	-----
Pneumonia/Influenza	21	19.0	16.6	-----	28.6	23.0	-----	28.6	27.0	-----
Chronic Obstructive Pulmonary Disease	7	0.0	4.1	-----	0.0	7.6	-----	0.0	10.7	-----
Transient Cerebral Ischemia	4	0.0	1.6	-----	0.0	3.8	-----	0.0	6.4	-----
Stroke	8	37.5	19.1	-----	62.5	26.6	-----	75.0	31.5	-----
Hip Fracture	0									
Sepsis	2	0.0	38.1	-----	0.0	49.8	-----	0.0	54.0	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	0									
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	0									
Open Reduction of Hip Fracture	0									
Prostatectomy	0									
Cholecystectomy	4	0.0	0.8	-----	0.0	1.5	-----	0.0	2.2	-----
Hysterectomy	0									

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



UPPER CONNECTICUT VALLEY HOSPITAL

Medicare Provider Number: 300033

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	75.9 years
Proportion female	49.3 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	41.6 %
Transferred from skilled nursing facility	0.0 %
Admitted for elective procedure	1.4 %
Admitted for emergency	53.8 %

COMORBIDITIES:

Cancer	6.8 %
Chronic cardiovascular disease	31.2 %
Chronic liver disease	0.5 %
Chronic renal disease	2.7 %
Chronic pulmonary disease	16.3 %
Cerebrovascular degeneration	10.9 %
Diabetes mellitus	9.0 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	77.1%
State	4.3%
Outside State	18.6%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	5.7 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	31
Occupancy Rate	32.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	43.9 %
Case Mix Index (CMI)	1.0407

STAFFING:

Total Number of Physicians	10
Percent of Physicians Board Certified Specialists	100.0 %
Medical Residents/Interns	0
Registered Nurses	19
Licensed Practical Nurses	11

** Except for CMI

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	Yes

*** Not used in calculating mortality rates**

VALLEY REGIONAL HOSPITAL

243 ELM ST
CLAREMONT, NH 03743
Medicare Provider Number: 300024

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%) 30 DAYS OBS	30 DAYS PRED	30 DAYS SD*	90 DAYS OBS	90 DAYS PRED	90 DAYS SD*	180 DAYS OBS	180 DAYS PRED	180 DAYS SD*
ALL CAUSES	553	8.3	7.7	1.4	12.5	12.0	2.2	15.9	15.3	2.7
CONDITIONS:										
Acute Myocardial Infarction	16	37.5	28.5	-----	43.8	32.2	-----	56.3	35.3	-----
Congestive Heart Failure	34	8.8	12.1	-----	23.5	19.5	-----	38.2	25.6	-----
Pneumonia/Influenza	25	8.0	11.5	-----	12.0	15.9	-----	16.0	19.0	-----
Chronic Obstructive Pulmonary Disease	12	0.0	6.1	-----	0.0	10.9	-----	0.0	14.8	-----
Transient Cerebral Ischemia	6	0.0	1.3	-----	0.0	3.3	-----	0.0	5.7	-----
Stroke	26	26.9	16.5	-----	38.5	23.0	-----	38.5	26.8	-----
Hip Fracture	24	4.2	6.7	-----	4.2	12.3	-----	8.3	16.0	-----
Sepsis	6	33.3	21.4	-----	33.3	28.2	-----	33.3	33.6	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	4	0.0	2.3	-----	0.0	4.6	-----	0.0	7.3	-----
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	16	0.0	2.4	-----	0.0	4.3	-----	0.0	5.7	-----
Open Reduction of Hip Fracture	14	7.1	5.3	-----	7.1	10.1	-----	14.3	13.7	-----
Prostatectomy	24	0.0	1.7	-----	4.2	4.1	-----	8.3	6.6	-----
Cholecystectomy	13	15.4	4.0	-----	15.4	6.6	-----	15.4	8.0	-----
Hysterectomy	7	0.0	0.5	-----	0.0	1.1	-----	0.0	1.8	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



VALLEY REGIONAL HOSPITAL
Medicare Provider Number: 300024

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	76.1 years
Proportion female	58.8 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	60.2 %
Transferred from skilled nursing facility	0.4 %
Admitted for elective procedure	15.4 %
Admitted for emergency	4.3 %

COMORBIDITIES:

Cancer	6.1 %
Chronic cardiovascular disease	31.5 %
Chronic liver disease	1.1 %
Chronic renal disease	1.3 %
Chronic pulmonary disease	15.6 %
Cerebrovascular degeneration	7.1 %
Diabetes mellitus	8.0 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	79.4%
State	9.1%
Outside State	11.5%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	6.6 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	71
Occupancy Rate	49.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	39.2 %
Case Mix Index (CMI)	1.2571

STAFFING:

Total Number of Physicians	51
Percent of Physicians Board Certified Specialists	70.6 %
Medical Residents/Interns	0
Registered Nurses	59
Licensed Practical Nurses	19

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	Yes
Medicare Swing Beds	Yes

** Except for CMI

*** Not used in calculating mortality rates**

WEEKS MEMORIAL HOSPITAL

MIDDLE STREET
LANCASTER, NH 03584
Medicare Provider Number: 300021

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	355	10.7	11.8	2.6	16.6	17.3	2.5	20.3	21.1	2.8
CONDITIONS:										
Acute Myocardial Infarction	16	37.5	27.9	-----	43.8	30.7	-----	43.8	33.4	-----
Congestive Heart Failure	14	14.3	15.1	-----	14.3	23.3	-----	28.6	29.7	-----
Pneumonia/Influenza	21	19.0	14.3	-----	28.6	19.4	-----	28.6	22.9	-----
Chronic Obstructive Pulmonary Disease	12	16.7	7.8	-----	16.7	14.3	-----	25.0	19.2	-----
Transient Cerebral Ischemia	1	100.0	4.7	-----	100.0	11.5	-----	100.0	18.7	-----
Stroke	18	22.2	19.6	-----	27.8	27.9	-----	33.3	33.1	-----
Hip Fracture	9	0.0	8.9	-----	11.1	14.3	-----	33.3	17.9	-----
Sepsis	5	0.0	29.7	-----	0.0	40.4	-----	0.0	45.8	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	0									
Carotid Endarterectomy	0									
Hip Replacement/Reconstruction	6	0.0	3.8	-----	16.7	7.1	-----	16.7	9.2	-----
Open Reduction of Hip Fracture	2	0.0	19.7	-----	0.0	30.6	-----	50.0	37.7	-----
Prostatectomy	3	0.0	0.8	-----	0.0	2.0	-----	0.0	3.7	-----
Cholecystectomy	6	0.0	2.9	-----	0.0	5.5	-----	0.0	7.2	-----
Hysterectomy	0									

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



WEEKS MEMORIAL HOSPITAL

Medicare Provider Number: 300021

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	75.6 years
Proportion female	59.7 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	32.4 %
Transferred from skilled nursing facility	0.3 %
Admitted for elective procedure	0.3 %
Admitted for emergency	79.7 %

COMORBIDITIES:

Cancer	6.8 %
Chronic cardiovascular disease	44.2 %
Chronic liver disease	1.7 %
Chronic renal disease	6.2 %
Chronic pulmonary disease	24.5 %
Cerebrovascular degeneration	4.8 %
Diabetes mellitus	9.6 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	78.4%
State	4.9%
Outside State	16.7%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	6.8 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	59
Occupancy Rate	40.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	54.3 %
Case Mix Index (CMI)	1.1086

STAFFING:

Total Number of Physicians	16
Percent of Physicians Board Certified Specialists	87.5 %
Medical Residents/Interns	0
Registered Nurses	40
Licensed Practical Nurses	15

** Except for CMI

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	No

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	Yes

*** Not used in calculating mortality rates**

WENTWORTH-DOUGLASS HOSPITAL

789 CENTRAL AVE
DOVER, NH 03820
Medicare Provider Number: 300018

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%) 30 DAYS OBS	30 DAYS PRED	30 DAYS SD*	90 DAYS OBS	90 DAYS PRED	90 DAYS SD*	180 DAYS OBS	180 DAYS PRED	180 DAYS SD*
ALL CAUSES	1310	9.5	8.8	1.1	14.8	13.5	1.4	17.9	16.9	1.5
CONDITIONS:										
Acute Myocardial Infarction	47	19.1	23.2	-----	25.5	26.1	-----	29.8	28.8	-----
Congestive Heart Failure	75	10.7	16.1	6.4	18.7	25.6	6.7	30.7	32.0	5.7
Pneumonia/Influenza	59	11.9	13.3	4.9	20.3	18.8	5.2	22.0	22.3	6.5
Chronic Obstructive Pulmonary Disease	42	14.3	8.6	-----	14.3	14.8	-----	16.7	18.9	-----
Transient Cerebral Ischemia	19	0.0	1.9	-----	0.0	4.5	-----	0.0	7.4	-----
Stroke	48	14.6	16.7	-----	20.8	23.2	-----	22.9	27.3	-----
Hip Fracture	32	15.6	6.3	-----	15.6	11.1	-----	18.8	14.5	-----
Sepsis	7	0.0	18.7	-----	14.3	24.7	-----	14.3	28.2	-----
PROCEDURES:										
Angioplasty	0									
Coronary Artery Bypass Graft	0									
Initial Pacemaker Insertion	7	28.6	7.2	-----	28.6	12.4	-----	42.9	16.5	-----
Carotid Endarterectomy	6	0.0	0.7	-----	0.0	1.5	-----	0.0	2.4	-----
Hip Replacement/Reconstruction	41	7.3	3.2	-----	9.8	5.7	-----	12.2	7.7	-----
Open Reduction of Hip Fracture	10	20.0	5.2	-----	20.0	9.9	-----	20.0	13.3	-----
Prostatectomy	31	0.0	0.6	-----	0.0	1.5	-----	0.0	2.7	-----
Cholecystectomy	24	0.0	2.8	-----	0.0	4.9	-----	0.0	6.4	-----
Hysterectomy	17	0.0	0.4	-----	0.0	0.9	-----	0.0	1.5	-----

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



WENTWORTH-DOUGLASS HOSPITAL
Medicare Provider Number: 300018

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	73.9 years
Proportion female	57.4 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	44.9 %
Transferred from skilled nursing facility	0.3 %
Admitted for elective procedure	19.0 %
Admitted for emergency	48.3 %

COMORBIDITIES:

Cancer	8.9 %
Chronic cardiovascular disease	30.5 %
Chronic liver disease	1.2 %
Chronic renal disease	3.2 %
Chronic pulmonary disease	14.5 %
Cerebrovascular degeneration	3.1 %
Diabetes mellitus	6.6 %

ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS*

ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City	71.9%
State	8.4%
Outside State	19.7%
Total	100.0%

MEDICARE AVERAGE LENGTH OF STAY:

Hospital	9.3 Days
State	8.5 Days
National	8.6 Days

HOSPITAL CHARACTERISTICS*

SOURCE: AHA Annual Survey of Hospitals** - Survey Year 1990

PROFILE:

Total Beds	130
Occupancy Rate	62.0 %
Ownership.Control	Private, Non-Profit
Medicare Discharges	32.8 %
Case Mix Index (CMI)	1.2436

STAFFING:

Total Number of Physicians	93
Percent of Physicians Board Certified Specialists	91.4 %
Medical Residents/Interns	0
Registered Nurses	187
Licensed Practical Nurses	34

SPECIALTY SERVICES:

Burn Unit	No
Cardiac Intensive Care	No
Comprehensive Geriatric	No
Hospice Care	No
Medical/Surgical Intensive Care	Yes
Organ/Tissue Transplant	No
Other Intensive Care	No
Trauma Center	Yes

OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug	No
Rehabilitation	No
Psychiatric	No
Medicare Swing Beds	No

** Except for CMI

*** Not used in calculating mortality rates**

NEW HAMPSHIRE

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	24,670	9.5	9.0	0.3	14.0	13.7	0.3	17.2	17.2	0.3
CONDITIONS:										
Acute Myocardial Infarction	1,002	25.8	24.9	1.7	30.1	28.1	2.2	32.9	30.9	2.4
Congestive Heart Failure	1,268	13.5	14.7	1.1	22.4	23.2	1.5	29.4	29.4	1.3
Pneumonia/Influenza	1,115	13.6	14.9	2.1	20.0	20.6	2.1	23.8	24.3	2.0
Chronic Obstructive Pulmonary Disease	457	10.1	8.5	2.2	14.2	14.8	1.7	19.7	19.4	1.9
Transient Cerebral Ischemia	312	2.2	1.7	1.1	4.8	3.8	2.0	7.4	6.2	2.8
Stroke	907	21.5	19.4	1.6	26.9	26.0	1.5	29.9	29.9	1.6
Hip Fracture	719	7.2	6.4	1.3	12.5	11.5	1.6	15.6	15.1	1.9
Sepsis	250	21.6	23.4	2.8	27.2	30.7	3.5	30.8	35.1	4.1
PROCEDURES:										
Angioplasty	150	2.7	2.7	1.4	3.3	3.6	1.5	3.3	4.6	1.9
Coronary Artery Bypass Graft	282	6.0	6.5	2.0	8.5	9.5	2.1	8.9	10.8	2.3
Initial Pacemaker Insertion	172	4.7	3.3	2.6	8.1	6.3	3.3	11.6	9.0	3.3
Carotid Endarterectomy	68	2.9	1.3	2.0	2.9	2.4	2.0	2.9	3.5	2.6
Hip Replacement/Reconstruction	525	4.6	3.1	1.1	6.5	5.8	1.3	8.2	7.9	1.3
Open Reduction of Hip Fracture	350	6.3	5.9	1.4	12.6	11.0	2.4	15.1	14.6	3.0
Prostatectomy	653	0.6	0.9	0.4	1.2	2.0	0.9	2.8	3.5	1.1
Cholecystectomy	470	2.1	2.7	1.2	3.8	4.9	1.2	4.9	6.6	1.4
Hysterectomy	270	1.5	0.5	1.2	1.9	1.2	1.2	2.6	2.1	1.5

* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	74.9 years
Proportion female	57.1 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	42.4 %
Transferred from skilled nursing facility	0.3 %
Admitted for elective procedure	20.5 %
Admitted for emergency	47.3 %

COMORBIDITIES:

Cancer	8.1 %
Chronic cardiovascular disease	35.2 %
Chronic liver disease	1.2 %
Chronic renal disease	3.0 %
Chronic pulmonary disease	15.1 %
Cerebrovascular degeneration	5.2 %
Diabetes mellitus	7.5 %

ALL STATES

FY 1990 MEDICARE HOSPITAL MORTALITY RATES

CATEGORY	NUMBER OF CASES	MORTALITY RATES (%)								
		30 DAYS			90 DAYS			180 DAYS		
		OBS	PRED	SD*	OBS	PRED	SD*	OBS	PRED	SD*
ALL CAUSES	6,542,299	9.0	9.0	-----	13.9	13.7	-----	17.3	17.1	-----
CONDITIONS:										
Acute Myocardial Infarction	204,673	25.3	25.6	-----	29.5	28.7	-----	32.1	31.4	-----
Congestive Heart Failure	335,426	14.3	14.4	-----	22.9	22.8	-----	29.2	29.0	-----
Pneumonia/Influenza	313,303	15.3	15.5	-----	21.5	21.3	-----	25.5	25.1	-----
Chronic Obstructive Pulmonary Disease	107,387	8.0	8.0	-----	14.1	14.0	-----	18.7	18.5	-----
Transient Cerebral Ischemia	96,866	1.8	1.8	-----	4.0	4.0	-----	6.4	6.5	-----
Stroke	241,803	19.7	19.8	-----	26.5	26.3	-----	30.4	30.0	-----
Hip Fracture	163,386	6.7	6.5	-----	11.7	11.5	-----	15.1	15.0	-----
Sepsis	80,999	25.6	25.7	-----	34.6	33.8	-----	39.8	38.6	-----
PROCEDURES:										
Angioplasty	58,026	3.0	3.0	-----	4.0	4.0	-----	5.0	4.9	-----
Coronary Artery Bypass Graft	80,798	6.0	5.7	-----	8.3	8.1	-----	9.5	9.2	-----
Initial Pacemaker Insertion	49,642	3.2	3.3	-----	6.5	6.3	-----	9.1	9.1	-----
Carotid Endarterectomy	29,990	1.6	1.5	-----	2.8	2.8	-----	4.0	4.1	-----
Hip Replacement/Reconstruction	122,156	3.4	3.2	-----	6.2	5.9	-----	8.1	8.0	-----
Open Reduction of Hip Fracture	80,075	6.1	6.0	-----	11.2	11.0	-----	14.5	14.5	-----
Prostatectomy	211,087	0.9	1.0	-----	2.2	2.3	-----	3.7	3.8	-----
Cholecystectomy	124,259	2.9	2.7	-----	5.0	4.9	-----	6.5	6.5	-----
Hysterectomy	53,905	0.7	0.7	-----	1.4	1.5	-----	2.2	2.4	-----

* The Standard Deviation (SD) is not calculated.

FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

DEMOGRAPHICS:

Average age at admission	74.1 years
Proportion female	55.9 %

ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician	46.1 %
Transferred from skilled nursing facility	1.1 %
Admitted for elective procedure	22.0 %
Admitted for emergency	46.5 %

COMORBIDITIES:

Cancer	7.6 %
Chronic cardiovascular disease	36.6 %
Chronic liver disease	1.0 %
Chronic renal disease	3.4 %
Chronic pulmonary disease	15.0 %
Cerebrovascular degeneration	3.9 %
Diabetes mellitus	8.0 %

Hospital Comments

Alan D. Folga
Administrator

Monadnock Community Hospital

Medicare Provider Number 300007
March 17, 1992

Gail R. Wilensky, Ph.D.,Administrator
Health Care Financing Administration
Medicare Hospital Information
Bureau of Data Management and Strategy
Room 3-A-12, Security Office Park Building
6325 Security Boulevard
Baltimore, Maryland 21207-5187

Dear Ms. Wilensky,

Monadnock Community Hospital (MCH) received the 1990 HCFA Mortality Statistics and appreciates your continuing efforts towards improvement in your process.

As you have acknowledged, the differences between observed and predicted mortality rates are problematic given small numbers such as ours. Except for the total mortality from all causes, even a standard deviation is not available, making it impossible to construct confidence intervals for the individual categories.

Based on confidence intervals of 99 %, 95 %,and 75 %, the difference between observed and predicted mortality rates for all causes, at 30, 90, and 180 days, is not statistically significant at the p=.01, the p=.05, or the p=.25 level. Restated, there is greater than a 1 in 4 chance that there is no real difference between the observed and predicted rates.

Our computerized quality assessment program, Quality Standards in Medicine (QSM), uses objective, expert criteria which has revealed excellent standards of care. We have the ability to analyze process and outcomes as well as individual performance.

MCH also participates in the Maryland Hospital Association Quality Indicator Project which analyzes in-patient and out-patient events, including mortality. This data assists with internal data analysis by sharing comparative state and national rates.

We continue to request that HCFA perfect a system of outcome prediction with a more inclusive analysis of available data.

Sincerely yours,

GK Norman, MD

Susan Marshall, RN

Gordan K. Norman, MD
Medical Affairs Director

Susan Marshall, RN
Quality Review Director

HCFA

HCA Portsmouth
Regional Hospital

Medicare Provider Number 30-00029

March 18, 1992

Gail R. Wilensky, Ph.D., Administrator
Health Care Financing Administration
Medicare Hospital Information
Bureau of Data Management and Strategy
Room 3-A-12, Security Office Park Building
6325 Security Boulevard
Baltimore, Maryland 21207-5187
ATTN: Robert Moore

Dear Mr. Moore,

Below is Portsmouth Regional Hospital's formal response and comments on this year's Medicare Mortality Data. While we appreciate this effort at data collection, we have great concerns about the individuals using these numbers to actually evaluate health care. It is imperative that the public understand that such data should only be a signal to look further, not to make quality judgments. Having reviewed the 55 deaths reflected in our own data, there are a number of key points that I would like to make.

First, the number of cases is so small that HCFA readily states that a standard deviation cannot be calculated for any diagnostic category in our report. For example, we had a higher than expected death rate for pacemaker insertions, yet the 9.1% observed death rate represents just one case, a patient who was admitted with a severe myocardial infarction with resulting total heart block. For this reason, we question the statistical validity of this data relative to making any kind of quality of care judgments.

Secondly, of the 55 deaths noted, 41 patients or 75% had do not resuscitate orders. This is a direct result of New Hampshire's pioneering role in legalizing and encouraging the use of Living Wills. Portsmouth Regional Hospital has, in fact, been instrumental in doing community outreach and education on this topic, and we feel that we are now seeing more informed patients and family members. Many of these cases represent chronically debilitated patients from nursing homes who request a less aggressive approach to treatment. Studies have repeatedly expressed concerns about the high health care costs associated with life prolonging treatment in the last sixty days of life.

333 Borthwick Avenue
P.O. Box 7004
Portsmouth, New Hampshire 03801-7004
Telephone (603) 436-5110
A subsidiary of HCA The Healthcare Company

Many elders themselves do not want this care and see the completion of a Living Will as protection against this eventuality. It is ironic that Medicare now mandates that we ask all patients about such advanced directives, and yet makes no allowance for them in this data calculation.

Specifically, of the 21 deaths from respiratory causes, 19 had additional chronic medical conditions; 16 had do not resuscitate orders. Of the 26 cardiac deaths, 20 had chronic medical conditions, and 20 had do not resuscitate orders. Of the eight deaths related to hip fractures, 6 had chronic medical conditions and 5 had do not resuscitate orders.

It should also be noted that in the area of cardiac care, Portsmouth Regional Hospital has been a pioneer, establishing the area's first cardiac catheterization laboratory back in 1987. For this reason, the hospital has often been a referral center for those with acute heart problems, including patients who are transferred from other facilities. It is therefore, exceedingly inaccurate to compare our ratings to those of other community hospitals who do not have this technology available. Also, one should note that the 25% death rate from angioplasty is totally misleading. This percentage represents only one death out of 4 cases. These procedures are only done at our hospital on an emergency basis for patients experiencing acute heart attacks where the goal is the reduction of damage to the heart muscle and the prevention of untimely death. Because we do not have a cardiac surgery program, we do not perform elective angioplasty. It is, therefore, totally inappropriate to compare us to hospitals doing both types of procedures.

Finally, it should be noted that 24 of these individuals died, not in the hospital, but in nursing homes or the community at large. While the time frame for a response permitted by HCFA did not allow us to investigate each of these cases for cause of death, it is quite possible that a number of these individuals died of other chronic medical conditions.

Over the past 4 years, HCA Portsmouth Regional Hospital has been a pioneer in the area of total quality management. As such, we feel that data can be an effective tool in helping hospitals provide better patient care. We do, however, encourage the public to use caution in interpreting this mortality data and to view it in context with the wide range of quality initiatives being developed by hospitals nationwide.

Sincerely,

William J. Schuler
President/CEO

☆U.S. GOVERNMENT PRINTING OFFICE: 1992-320-975

CMS LIBRARY
3 8095 00015210 4

ISBN 0-16-037860-5
90000
9 780160 378607